



KRONOTEX

BY SWISS KRONO GROUP



Made in 
Germany 

EN

FLOORS FOR LIVING

2021



Start thinking about
tomorrow

Cover Picture: D 4610
Port Oak Titanium
ROBUSTO

OUR ENVIRONMENTAL PRODUCT DECLARATION

In order for environmental product balance sheets to be meaningful, they must be objectively comparable. So to let our customers easily understand and contrast our lifecycle analyses and environmental product data with those of other materials, we have firmly committed ourselves to a policy of total product transparency. We openly and voluntarily communicate the ecological balance sheets of our wood-based products in our Environmental Product Declarations (EPDs). Each EPD is issued by the Institute Construction and Environment e.V. (IBU) in a format which was developed on the basis of internationally valid ISO standards in close collaboration with building and environmental authorities in Germany.

WE STAND FOR ECOLOGY

The only way to master major challenges is for all players to pull on one rope. One of the biggest and most urgent tasks facing humanity today is to protect the environment. 'Together we are strong!' – this statement also applies to achieving the sustainability goals we have set ourselves. All of our staff are involved in protecting the environment on a day-to-day basis. Each and every one of them is appropriately informed, instructed and trained. This ensures that every department has the environmental expertise it requires. We use our 'management for the earth' programme to raise the level of environmental awareness in the entire SWISS KRONO team. Our environmental management efforts focus on achieving the eco-efficiency defined in our corporate objectives. Every product that leaves our factory must exhibit both excellent price/performance and superb environmental compatibility. This starts with the exclusive use of legal, certified raw materials from sustainably managed forests, continues with rigorously monitored production, and is also ensured during subsequent utilisation and ultimate disposal of our products.

WE HAVE BIG PLANS

We have a clearly defined goal: we want you, ourselves and future generations to continue enjoying life and good health on our unique blue planet. We are therefore continuing to develop eco-friendly wood-based materials which are healthy for you and the environment alike. Right now we are preparing EPDs for all of our Kronotex floorings to facilitate direct comparison and checking of their environmental benefits. Has our environmental commitment piqued your curiosity? We'll be happy to answer your questions.

Simply e-mail us at: dehe.sales.floor@swisskrono.com



DID YOU KNOW?

- ✓ ... that at the end of their life cycle, our floorings can be recycled as completely harmless residual waste?
- ✓ ... that Kronotex flooring is free of PVC and plasticisers?
- ✓ ... that we openly communicate the life cycle assessments of our wood-based products with the Environmental Product Declaration?"



MIX IT LIKE YOU ARE

What an impressive performance – HERRINGBONE's presentation in our Large Salon is an expressive blend and at the same time harmoniously combined. In contrast to the cool petrol blue of the walls, the beige-brown tones of the Ferrara Oak, Toulouse Oak and Pisa Oak decors infuse this spacious room with a natural warmth. The light creamy white of Bordeaux Oak bridges the gap between the wall shades and the floor. The wooden table in Bauhaus design offers additional lines in the room, echoing the herringbone pattern of the floor. The armchair complements the impression to perfection with the daring, playful pattern of its material. Mix it like you are – HERRINGBONE gives you many different options!

The decors

The Bordeaux Oak decor (D 3516) comes across as pleasantly restrained with its gentle beige tones. It brings Nordic flair and classic modernity to your room.

The soft, sandy beige tone of the Toulouse Oak decor (D 3678) creates a warm ambience and offers a refined accent.

The Ferrara Oak decor (D 3860) combines the colours of dark chocolate and nougat with elegance and confidence.

The Pisa Oak decor (D 3861) radiates sunlight in the room like brilliant forest blossom honey. It provides a colourful interplay between soft wood tones.







BACK TO NATURE

Join us on a journey to the good old days. Times in which it was taken for granted that the materials came from nature, when they were true, lifelong companions. Canyon Maple, the shooting star among decors, welcomes you to our mountain lodge ambience with a new feeling of homeliness. This accent floor follows in the best tradition of rustic and robust. The broad interplay of colours between the boards, from light creamy white, via gold yellow, cappuccino brown to stone grey and dark chocolate comes as a surprise in combination with the pronounced wood grain. Head-grain table and leather armchair are the perfect complement to the natural impression of the room. The clay paint on the walls not only provides a harmonious blend of colours with the floor but also gives the room an agreeable atmosphere.



The decor

The new D 6007 Canyon Maple decor radiates an extravagantly wide range of colours consisting of creamy white, gold yellow, cappuccino brown, stone grey and mocca brown. It provides a rustic, pristine quality and a powerful ambience.



A floor is the foundation for every type of room design, and hence the basis for creating one's own sense of what life should be all about.

For this purpose, Kronotex opens up a completely new world for you. Experience floors which meet all demands, which feature unique aesthetics and top-class quality. There is no limit to where your imagination can carry you!



WE'RE PASSIONATE ABOUT WOOD

SWISS KRONO – A STRONG BRAND FAMILY

As a Swiss family company, we develop design solutions for sophisticated living spaces made from natural raw materials – in more than 121 countries, with expertise born from years of experience and outstanding interior and exterior results.



PARTNERSHIP

We work together with you to develop first-class solutions that truly suit your needs. We are always at your side, even after the end of a project. Your trust is what drives us.

MADE IN GERMANY

All of our products are designed, manufactured and certified in Germany. This outstanding quality reflects the high demands we place on ourselves every day in order to provide you with the best possible solution.

RESPONSIBILITY

We are dedicated to a high level of resource efficiency and renewable energy. Our strategy: complete usage of material flows, short distances, renewable energy sources and a high level of energy efficiency.

Further information can be found on: swisskrono.com

CONTENTS

Structures & surfaces	10
Characteristics / individual features	12
Rooms with high humidity	13
Product overview	14

MAMMUT PLUS



MAMMUT



AQUA ROBUSTO




ROBUSTO



AMAZONE



HERRINGBONE



MEGA PLUS



EXQUISIT PLUS



EXQUISIT



DYNAMIC PLUS







GLAMOUR




The CLIC-System	74
Installation instructions on YouTube	74
Technical information	75
Accessories	76
Online floor studio	82
Quality on principle	83


Made in 
Germany

STRUCTURES & SURFACES







1-Strip



2-Strip



3-Strip



Multi-Strip


CHARACTERISTICS



Kronotex floors are low-maintenance and hard-wearing.



Kronotex floors are flame resistant.



Kronotex floors are largely resistant to cigarette burns.



Kronotex floors are non-fading and retain their brilliance over many years.



Kronotex floors are rugged, load-resistant and impact-resistant.




Kronotex floors are abrasion-resistant.



Kronotex floors are produced from natural sustainable raw materials.



Kronotex floors are comfortable underfoot.



Kronotex floors are well suited for installation over subfloor heating.




Kronotex floors are stain-resistant.




Kronotex floors are virtually scratchproof.


INDIVIDUAL FEATURES



These panels are especially long.




These panels are especially wide.




These panels are especially narrow.



These panels have a special surface structure.




High gloss surface




Antistatic



A and B panels must be available in equal numbers. Note the marking on the package.



These panels are equipped with a 45° bevelled edge all around. When joined together, a V-groove is created, which conveys a natural solid wood plank character.



Fast installment thanks to an easy-to-use interlocking system for the long and short sides of the boards.



A 5G Clic system makes the flooring even easier to install.



AQUA-PEARL System

Thanks to our special AQUA-PEARL System, our **AQUA ROBUSTO** flooring is highly water-repellent, resistant to all kinds of liquids and extremely durable. The combination of force-fit locking system, mounting board highly resistant to swelling and specially designed skirting board AQUA 60/80 allows liquids to stand for up to 24 hours (according to NALFA surface swell test).



The natural product is particularly suitable for children and pets who are in frequent contact with the flooring. It can easily forgive a mishap or two.



The AQUA PEARL System floors can easily be cleaned with a **damp mop and steam cleaner (household appliance)**.




Liquids and standing water should be removed within 24 hours (according to NALFA surface swell test).

Suitable for rooms with high humidity.

Not suitable for outdoor areas, rooms with permanently high moisture load, e.g., shower cubicles, saunas and rooms with floor drains.

Selected decors with moisture protection


We have made the best even better: high-quality décors from the **MAMMUT PLUS, MAMMUT, ROBUSTO, AMAZONE** and **HERRINGBONE** flooring collections have been optimised in order to withstand moisture penetration even longer. The resin-rich pine from Mark Brandenburg and special gluing processes ensure significantly reduced swelling of the flooring.



The natural product is particularly suitable for children and pets who are in frequent contact with the flooring. It can easily forgive a mishap or two.



The floors with moisture protection can be easily cleaned with a **damp mop**.



Although designed for improved resistance to water and moisture, it is not waterproof and excessive wetting and standing water should be avoided.

Suitable for rooms with high humidity.

Not suitable for outdoor areas, rooms with permanently high moisture load, e.g., shower cubicles, saunas and rooms with floor drains.

PRODUCT OVERVIEW

MAMMUT PLUS

PANEL 1845 × 244 × 10 mm | **BOX** 4 panels | 1,800 m² | **PALLET** 42 boxes | 75,600 m²



AC 5
COMMERCIAL 33*

MAMMUT


PANEL 1845 × 188 × 12 mm | **BOX** 4 panels | 1,387 m² | **PALLET** 56 boxes | 77,697 m²



AC 5
COMMERCIAL 33*

AQUA ROBUSTO

PANEL 1380 × 191 × 12 mm | **BOX** 5 panels | 1,318 m² | **PALLET** 56 boxes | 73,808 m²



AC 5
COMMERCIAL 33*

ROBUSTO

PANEL 1375 × 188 × 12 mm | **BOX** 5 panels | 1,293 m² | **PALLET** 56 boxes | 72,380 m²



AC 5
COMMERCIAL 33*

AMAZONE

PANEL 1380 × 157 × 10 mm | **BOX** 6 panels | 1,300 m² | **PALLET** 40 boxes | 52,000 m²



AC 5
COMMERCIAL 33*

HERRINGBONE

PANEL 665 × 133 × 8 mm | **BOX** 14 panels | 1,238 m² | **PALLET** 96 boxes | 118,848 m²



AC 4
COMMERCIAL 32**

MEGA PLUS

PANEL 1380 × 326 × 8 mm | **BOX** 5 panels | 2,249 m² | **PALLET** 45 boxes | 101,223 m²



AC 4
COMMERCIAL 32

EXQUISIT PLUS

PANEL 1380 × 244 × 8 mm | **BOX** 8 panels | 2,694 m² | **PALLET** 42 boxes | 113,138 m²



AC 4
COMMERCIAL 32

EXQUISIT

PANEL 1380 × 193 × 8 mm | **BOX** 8 panels | 2,131 m² | **PALLET** 56 boxes | 119,320 m²



AC 4
COMMERCIAL 32

DYNAMIC PLUS

PANEL 1380 × 193 × 8 mm | **BOX** 8 panels | 2,131 m² | **PALLET** 56 boxes | 119,320 m²



AC 4
COMMERCIAL 32

GLAMOUR STONE 2.0

PANEL 810 × 400 × 8 mm | **BOX** 8 panels | 2,592 m² | **PALLET** 40 boxes | 103,68 m²



AC 4

MAX

PANEL 1220 × 610 × 8 mm | **BOX** 4 panels | 2,977 m² | **PALLET** 30 boxes | 89,31 m²



AC 4

* Minimum requirements for the underlay material are CS 60 kPa and DL 2 according to EN 16354.

** Minimum requirements for the underlay material are CS 120 kPa and DL 2 according to EN 16354.

What goes around, comes around!

16

D 4725
Mountain Oak Nature



MAMMUT PLUS

MOUNTAIN OAK NATURE

17

A LOVE OF DETAIL

With its particularly wide panels, MAMMUT PLUS makes for an extremely elegant atmosphere. And so this floor is particularly suitable for larger rooms, effectively underlining their spacious architecture. However, MAMMUT PLUS reveals its real greatness not only in its width, but also in its length. And that's not all: an immaculate natural wood look, realised to the highest degree of authenticity – there can hardly be a better combination of robustness and naturalness. MAMMUT PLUS is therefore the right choice for anybody who sets the highest standards for the ambience of their surroundings.

JULIA (37)

BJÖRN (45)

EMMA (6)



Julia and Björn live with their little daughter Emma in a flat in an old building in Hamburg. When the nature-loving family is not outdoors, we can visit them in their beautiful home. The couple renovated the classic old building with great attention to detail.

In capturing the charm of a bygone era, they have found a perfect product in the form of Mammut Plus flooring that satisfies both the desire for a natural look and the highest standards, as well as being so robust that Emma can play around on it to her heart's content.









MAMMUT PLUS

USE CLASS 33 | AC 5
BOX 4 panels
 1,800 m²
PALLET 42 boxes
 75,600 m²

10 mm



The decors have been optimised so as to be able to withstand the effects of moisture over time. The flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 13.





D 4738
Nordland Oak
1-Strip | ER | V4



D 4752
Makro Oak Light
1-Strip | ER | V4



D 4791
Makro Oak Brown
1-Strip | ER | V4



D 4792
Makro Oak Grey
1-Strip | ER | V4



D 4793
Makro Oak White
1-Strip | ER | V4



D 4794
Makro Oak Nature
1-Strip | ER | V4



D 4795
Highland Oak Bronze
1-Strip | ER | V4



D 4796
Highland Oak Titanium
1-Strip | ER | V4



D 4797
Highland Oak Silver
1-Strip | ER | V4



Art cannot be modern - art is eternal.

20

D 4728
Mountain Oak Beige



MAMMUT

MOUNTAIN OAK BEIGE

21

STYLE IS HERE A PHILOSOPHY OF LIFE

Classic aesthetics and functionality are successfully combined here. Anyone who appreciates the unmistakable, natural-looking appearance of oak planks and, at the same time, wants maximum load-bearing capacity, will find that MAMMUT meets both requirements. The perfection achieved in this way is rightly regarded as the top product among floorings. Especially since here – as in all Kronotex collections – great importance is attached to sustainability. Whether you opt for more traditional colour nuances or a modern colouring in white or grey – with its particularly long and hard-wearing panels, MAMMUT is the crowning glory of the timeless country house look. Because this classic of flooring art effortlessly outlives all the stylistic changes of different epochs.

LARS (41)
ARTIST



Lars lives and works in a self-constructed workshop in the countryside. A central factor in his life is the sustainable resource of wood. As a trained carpenter and wood artist, he knows this material inside out.


Lars decided to use Mammut flooring for the design of his apartment – because nobody can fool him about wood: only the best is good enough.






MAMMUT


USE CLASS 33 | AC 5
BOX 4 panels
1,387 m²
PALLET 56 boxes
77,697 m²

12 mm



The decors have been optimised so as to be able to withstand the effects of moisture over time. The flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 13.





D 3669
Makro Oak Beige
1-Strip | ER | V4



D 3670
Makro Oak Light Grey
1-Strip | ER | V4



D 4152
Everest Oak Nature
1-Strip | ER | V4



D 4673
Matterhorn Oak Silver
1-Strip | ER | V4



D 4675
Matterhorn Oak Ruby
1-Strip | ER | V4




D 4676
Matterhorn Oak Bronze
1-Strip | ER | V4

MAMMUT




USE CLASS 33 | AC 5


PANEL 1845 × 188 × 12 mm | BOX 4 panels | 1,387 m² | PALLET 56 boxes | 77,697 m²




D 4725
Mountain Oak Nature
1-Strip | ER | V4



D 4726
Mountain Oak Brown
1-Strip | ER | V4



D 4727
Mountain Oak Grey
1-Strip | ER | V4



D 4728
Mountain Oak Beige
1-Strip | ER | V4



D 4752
Makro Oak Light
1-Strip | ER | V4



D 4791
Makro Oak Brown
1-Strip | ER | V4



D 4792
Makro Oak Grey
1-Strip | ER | V4



D 4793
Makro Oak White
1-Strip | ER | V4



D 4794
Makro Oak Nature
1-Strip | ER | V4



D 4795
Highland Oak Bronze
1-Strip | ER | V4



D 4796
Highland Oak Titanium
1-Strip | ER | V4



D 4797
Highland Oak Silver
1-Strip | ER | V4

Giving returns to the giver!

26

P 1207
Logan Oak



AQUA ROBUSTO

LOGAN OAK

27

THE UNCOMPLICATED ALL-ROUNDER

When it comes to the relationship between laminate flooring and water, you will hear that great care is required – but not with our AQUA ROBUSTO collection. No matter whether it is a fallen flower vase, a leaking heater or the water spilled from the bowl of your beloved pet – all this leaves barely a trace on AQUA ROBUSTO. Thanks to a highly swell-reduced carrier plate and a force-locked locking system, this product line is extremely water-repellent, resistant to all types of liquids, and highly resilient. Need proof? Gladly: in combination with the AQUA skirting board, AQUA ROBUSTO can resist standing liquids for 24 hours without any signs of fatigue (according to NALFA test).



ANNA (32)
FLORIST



As a trained florist, Anna loves the special things in life. With a lot of love and sensitivity, this woman from Dresden realised her dream of creating her own flower paradise.

With the goal of combining aesthetics and functionality in the design of her shop, Anna opted for a very special flooring.

In addition to its visual appearance, it was important to find a product that would meet all the demands of daily work, is forgiving and, at the same time, would emphasise the unusual style of Anna's shop.



AQUA ROBUSTO

USE CLASS 33 | AC 5
BOX 5 panels
1,318 m²
PALLET 56 boxes
73,808 m²

12 mm 



12 mm



V4

Liquids and standing water should be removed within 24 hours. Please find additional information on page 13.





P 1209
Nebraska Oak
1-Strip | AF | V4



P 1211
Catania Oak
1-Strip | AF | V4



P 1212
Classic Hickory
1-Strip | ML | V4



You cannot make an omelette without breaking eggs...

30

D 4989
Right Oak Light



ROBUSTO

RIGHT OAK LIGHT

31

THE WORKAHOLIC: FOR PERMANENT STRESS

If load-bearing capacity is a priority when choosing the floor, it is clear what you should choose: namely – nomen est omen – ROBUSTO. With a high-density, 12-millimetre-thick carrier plate and the Clic system, which was developed for peak loads, ROBUSTO stands for maximum resistance. Not to mention its surface, which can withstand a lot. A floor on which you can make a lot of demands without any problems and which retains its original beauty for many years even when used commercially.



LARS (41)
ARTIST



We are once again with Lars. He shows us how life and work form a unity for the artist. He takes us to his workshop with adjacent studio.

We stand in his dream workshop and feel the passion for the material of wood that drives Lars!

So, you cannot make an omelette without breaking eggs? But that doesn't bother the Robusto flooring, because it lives up to its name in terms of resilience.



ROBUSTO

12
mm




5G
Sustainable by design






V4

USE CLASS	33 AC 5
BOX	5 panels 1,293 m ²
PALLET	56 boxes 72,380 m ²



The decors have been optimised so as to be able to withstand the effects of moisture over time. The flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 13.





D 3570
Harbour Oak
1-Strip | ER | V4



D 3571
Timeless Oak Grey
1-Strip | ER | V4



D 3572
Harbour Oak Grey
1-Strip | ER | V4



D 3573
Harbour Oak Dark
1-Strip | ER | V4



D 3590
Timeless Oak
1-Strip | ER | V4



D 3591
Atlas Oak Coffee
1-Strip | ER | V4

ROBUSTO

12
mm



5G



V4


USE CLASS 33 | AC 5

PANEL 1375 × 188 × 12 mm | BOX 5 panels | 1,293 m² | PALLET 56 boxes | 72,380 m²



D 3592

Atlas Oak Anthracite
1-Strip | ER | V4



D 4610

Port Oak Titanium
1-Strip | ER | V4




D 4611

Port Oak Medium
1-Strip | ER | V4




D 4684

Ebro Oak
1-Strip | ML | V4



D 4685

Jalon Oak
1-Strip | ML | V4



D 4686

Adaja Oak
1-Strip | ML | V4




D 4731
Rustic Oak
1-Strip | AF | V4




D 4763
Petterson Oak Beige
1-Strip | ER | V4



D 4779
Fantasy Wood
1-Strip | UL | V4




D 4954
Premium Oak
1-Strip | AF | V4




D 4955
Premium Oak Nature
1-Strip | AF | V4



D 4956
Premium Oak Grey
1-Strip | AF | V4



D 4957
Premium Oak Brown
1-Strip | AF | V4



D 4989
Right Oak Light
1-Strip | AF | V4



D 6006
Canyon Maple Dark
1-Strip | ML | V4

Good vibes only - feel the universe inside of you.

36

D 3662
Montmelo Oak Silver



AMAZONE

MONTMELO OAK SILVER

37

FEEL THE LIGHTNESS OF BEING

The grace of the slender line – this is how the AMAZONE collection could be aptly characterised. Extra narrow panels accentuate the lines that seem to separate and join them at the same time. A floor for lovers of delicate elegance, and which is particularly suitable for smaller rooms, as its graceful lines give them the appearance of optical extension. The collection captivates with a variety of different décors, from almost monochrome to clearly patterned, which opens up a lot of space for different individual design preferences.

JETTE (35)
YOGA
TEACHER



In times of stress and a hectic pace of life, Jette from Berlin shows us how she finds her inner balance. She has created her own little oasis at home. Here, she teaches yoga and passes on the art of conscious living with great passion.


Always in flux is her motto – and this also applies to the design of her yoga studio.

At her feet, the Amazone flooring impresses with its graceful lightness. The ideal ground for coming into harmony with nature.


नमस्ते
NAMASTE

AMAZONE

USE CLASS	33 AC 5
BOX	6 panels 1,300 m ²
PALLET	40 boxes 52,000 m ²



The decors have been optimised so as to be able to withstand the effects of moisture over time. The flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 13.






D 4166
Prestige Oak Nature
1-Strip | ER | V4



D 4167
Prestige Oak Grey
1-Strip | ER | V4



D 4169
Prestige Oak Light
1-Strip | ER | V4



D 4686
Tajo Oak
1-Strip | ML | V4




D 4754
Hella Oak
1-Strip | UL | V4




D 4766
Petterson Oak Dark
1-Strip | ER | V4



D 6010
Elba Oak Black
1-Strip | ER | V4



D 6012
Elba Oak Beige
1-Strip | ER | V4



D 6014
Elba Oak Beige
1-Strip | ER | V4



Getting back to basics!

40

D 3861
Pisa Oak

HERRINGBONE

PISA OAK

41

A CLASSIC – NEWLY LAID

What do you associate with a herringbone floorboard? Probably the graceful elegance of sophisticated country estates, venerable castle walls, Viennese coffee houses or the foyers of opera houses and theatres. And this is exactly the elegance that you can now bring into your own home – with our HERRINGBONE collection. It enhances your rooms with an Art Deco and Art Nouveau ambience. And so, in combination with modern interior design, you can create superbly attractive contrasts between tradition and modernity, between fashion and history, in your own living space. HERRINGBONE – this is a completely new laying technique in the world of flooring, of through which you can easily create a floor covering with a very complex appearance.



JAN (44)
FREELANCER



Jan let us have a look round his apartment. Far away from the mainstream, the freelancer lives in a stylish loft in Rostock.

This creative artist attaches great importance to quality and to an unusual lifestyle.

His sense of taste captivates with the combination of classic elements and bold contrasts. His credo: everything besides the ordinary – and this also extends to his choice of the Herringbone flooring.

Jan's herring tip!


- 2 packets of pickled herrings
- 1 apple
- 1 cup natural yoghurt
- 3 gherkins
- 3 eggs, cooked
- vinegar
- 1 onion
- 1 cup of cream
- 3 tbsp mayonnaise
- salt, pepper

HERRINGBONE


USE CLASS	32 AC 4
BOX	14 panels 1,238 m ²
PALLET	96 boxes 118,848 m ²



8 mm




The decors have been optimised so as to be able to withstand the effects of moisture over time. The flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 13.





D 3773
Oak Silver
1-Strip | ER | V4



D 3860
Ferrara Oak
1-Strip | ER | V4




D 3861
Pisa Oak
1-Strip | ER | V4




D 4739
Pesaro Concrete
1-Strip | ST | V4




D 4764
Treviso Oak
1-Strip | ER | V4



D 4766
Calais Oak
1-Strip | ER | V4



D 6010
Elba Oak Black
1-Strip | ER | V4





The ingenuity lies in the complicated simplicity!

44

D 4754
Oak Hella



MEGA PLUS

OAK HELLA

45

FLOOR VARIATIONS

The collection for people who love the extraordinary – that is MEGA PLUS. This product line offers you not only a wide range of design options with natural stone decors in a tile look, but also extravagant wood decors in particularly wide panels with which you can create particularly vibrant floor patterns. With this wide range of different shapes and décors, practically all your special wishes can be fulfilled. This means that practically anyone who wants to design their home in a particularly individual way with a somewhat more unusual living ambience can realise their ideas. Give free rein to your creativity!



HEALTHY
FOOD

OLE (32)
RESTAURATEUR



This is Ole from Bremen. This open-minded Northerner has recently fulfilled his dream of opening his own vegan restaurant. It was much more difficult for him to decide what to put on the menu than what to put on the ground.


Kronotex's ecological philosophy and the huge selection of décors immediately convinced the environmentalist.




He opted for a flooring from the MEGA PLUS collection that was full of character and contrasts, with a massive presence that perfectly matches him and his concept: simply stylish!



MEGA PLUS


USE CLASS 32 | AC 4
BOX 5 panels
2,249 m²
PALLET 45 boxes
101,223 m²

8 mm 







MEGA PLUS

USE CLASS 32 | AC 4
BOX 5 panels
2,249 m²
PALLET 45 boxes
101,223 m²




Natural stone format XL.
Long plank with
visual centre joint.







*Bon
Appetit*

MEGA PLUS


USE CLASS 32 | AC 4
BOX 5 panels
2,249 m²
PALLET 45 boxes
101,223 m²

8 mm 





D 4754
Oak Hella



D 4681 Loft Beige
Natural stone format XL
BT | Micro V4



D 4682 Loft Light
Natural stone format XL
BT | Micro V4



D 4699 Sonam
Natural stone format XL
BT | Micro V4

Your speed doesn't matter - forward is forward!

50

D 4984
Oriental Oak White



EXQUISIT PLUS

ORIENTAL OAK WHITE


51

TIMELESS COMPANION

Perfection in panel form: with the EXQUISIT PLUS collection, you can easily create a feel-good atmosphere. The extra-wide panels in various natural wood looks invite you to create an ambience of elegance and generosity. Feel the combination of warmth and nature – noble and high-quality, furnished with embossed grain and a matt shimmer. The precisely milled V-groove completes the convincing appearance, as you would expect from a plank floor. That is the perfection you dream of.



KASSIOPEIA (4)



My name is Kassiopeia and because everyone has just gone out, I will now explain to you why my master and mistress chose this floor.


I think they really go for an exquisite and special style. Back then, they were looking for a floor that radiated warmth and cosiness. Were they thinking of me at the same time?

FUNFACT:

Turtles can see better than humans!




Some of them can even perceive infrared or ultraviolet light!







EXQUISIT PLUS





USE CLASS 32 | AC 4
BOX 8 panels
2,694 m²
PALLET 42 boxes
113,138 m²

8 mm 




*Just take
it slow...*






EXQUISIT PLUS



USE CLASS 32 | AC 4

PANEL 1380 × 244 × 8 mm | BOX 8 panels | 2,694 m² | PALLET 42 boxes | 113,138 m²



D 4709

Tarragona Walnut
1-Strip | ER | V4



D 4716

Pinot Chestnut
1-Strip | ER | V4




D 4721

Gessami Oak
1-Strip | AF | V4



D 4729

Oak Grey
1-Strip | AF | V4



D 4764

Pettersson Oak Nature
1-Strip | ER | V4




D 4766

Pettersson Oak Dark
1-Strip | ER | V4



D 4783

Gala Oak Nature
1-Strip | ER | V4



D 4784

Gala Oak Brown
1-Strip | ER | V4



D 4785

Gala Oak Titanium
1-Strip | ER | V4



D 4787

Gala Oak White
1-Strip | ER | V4



D 4983
Oriental Oak Nature
1-Strip | ER | V4



D 4984
Oriental Oak White
1-Strip | ER | V4



D 6006
Canyon Maple Dark
1-Strip | ML | V4



D 6009
Elba Oak Nature
1-Strip | ER | V4




D 6013
Elba Oak Silver
1-Strip | ER | V4



D 6016
Sansibar Hickory Nature
1-Strip | AF | V4



D 6019
Kashmir Oak Brown
1-Strip | ER | V4



D 6020
Kashmir Oak Titanium
1-Strip | ER | V4



D 6021
Kashmir Oak Beige
1-Strip | ER | V4

Life is too short to drink bad wine!

56

D 4805
Ahota



EXQUISIT

AHOTA

57

THE BEST SELECTION

The plank floor – a real classic that simply never loses its appeal. With our EXQUISIT collection, you can bring this charm into your own home – coupled with the numerous advantages of a modern and high-quality flooring. EXQUISIT radiates cosiness every day with the naturalness and appearance of solid wood. Thanks to the embossed grain, the floor is an elegant and authentic experience, both visually and haptically. Last but not least, the milled V-groove underlines the natural impression and creates a look that resembles that of a good old plank floor.

FRANZ (71)
WINE
CONNOISSEUR



Franz does things right and enjoys life to the full. As a pensioner, he can devote himself completely and passionately to his small vineyard in the Palatinate.


After intensive planning, he realised a long-cherished dream and built himself a private wine cellar.

The Exquisit Ahota flooring from Kronotex, which Franz has chosen, is just as exquisite as the wines themselves.



EXQUISIT

USE CLASS 32 | AC 4
BOX 8 panels
2,131 m²
PALLET 56 boxes
119,320 m²







8 mm

WINE
Time

8
mm



5G
Wolpin





D 3223
Atlas Oak White
1-Strip | ER | V4



D 3224
Atlas Oak Nature
1-Strip | ER | V4




D 3241
Nostalgie Teak Beige
1-Strip | ER | V4



D 3242
Nostalgie Teak Silver
1-Strip | ER | V4



D 3665
Rosemont Oak
Multi-Strip | AF | V4




D 3672
Turin Oak
1-Strip | AF | V4



D 4166
Prestige Oak Nature
1-Strip | ER | V4



D 4168
Prestige Oak Dark
1-Strip | ER | V4



D 4169
Prestige Oak Light
1-Strip | ER | V4

EXQUISIT

8
mm




5G
Ultimate
Edge



V4

USE CLASS 32 | AC 4


PANEL 1380 × 193 × 8 mm | BOX 8 panels | 2,131 m² | PALLET 56 boxes | 119,320 m²




D 4170
Nostalgie Teak
1-Strip | ER | V4



D 4171
Nostalgie Teak Graphit
1-Strip | ER | V4



D 4609
Port Oak
1-Strip | ER | V4




D 4612
Port Oak Grey
1-Strip | ER | V4






D 4613
Ash Cupper
1-Strip | AF | V4



D 4688
Sierra Oak Titanium
1-Strip | ML | V4



D 4689
Sierra Oak Gold
1-Strip | ML | V4



Wanderlust - because nature must be felt

62

D 2450
Cutter Oak



DYNAMIC PLUS

CUTTER OAK

63

BRINGING DYNAMISM INTO THE HOME

The big plus in joie de vivre – that's the DYNAMIC PLUS collection. Unfold your individuality and find your décor in a selection of the highest variety. DYNAMIC PLUS is therefore the ideal floor for your ideas – and for a long time to come! Because it is universally usable and very resilient. DYNAMIC PLUS can even be lightly and easily integrated into any extensions or a new installation at a different location. This applies even to medium commercial use. Be inspired by the liveliness and enjoy the comfort of this fresh collection for many years to come!



Caro and Niklas met on a journey. Freshly in love, they are in seventh heaven. The young, happy couple is full of joy and energy.

They recently moved into their first shared apartment. Why have they decided on Floor Dynamic Plus? This flooring enjoys travelling and life just as much as the two of them. Whether tango in high heels or polka in slippers – this floor has swing!



DYNAMIC PLUS

Time
to
Travel

USE CLASS 32 | AC 4
BOX 8 panels
2,131 m²
PALLET 56 boxes
119,320 m²


* in **DYNAMIC** wrapping



D 2304*
Oak Achat
3-Strip | MO



D 2450*
Cutter Oak
2-Strip | MX



D 2929*
Bourbon Oak
1-Strip | PR



D 2955*
Black and White
2-Strip | WG



D 2957*
Hacienda Oak Beige
1-Strip | PR



D 2986*
Borneo Teak
1-Strip | PR



D 3066*
Cloud Oak
3-Strip | MO



D 3007*
Stockholm Ash
2-Strip | MX



D 3676
Kunsterspring Pine
1-Strip | UL



D 4127*
Nevada Pine
1-Strip | MX

DYNAMIC PLUS

8
mm



5G
Ingenieur
Kategorie




D 4155
Luxury Oak Silver
2-Strip | ER



D 4163*
Bough Pine
1-Strip | MX




D 4757*
Walnut Palazzo
1-Strip | WG



D 4771
Kallisto
1-Strip | AF





D 4781
Barrow Oak
1-Strip | AF



D 4953
Plauer Oak
3-Strip | AF


NEW



D 6406
Smile
1-Strip | AF



NEW



D 6407
Play
3-Strip | ML

* in **DYNAMIC** wrapping

Fashion is fleeting - style never!

68

Q 1016
Pastello Basalto



GLAMOUR

PASTELLO BASALTO

69

A TOUCH OF EXTRAVAGANCE

Exclusivity is easy to install today. GLAMOUR refines the floor like jewellery around the neck of a grand lady. Elegant, charming decors presented in stylish marble and stone looks. This collection in particular offers an extraordinary range and a real wow effect. But GLAMOUR is not only beautiful – the floor has to withstand a lot. Thanks to electron beam hardening and multi-layer painting, it is designed for intensive private use with maximum comfort. And last but not least, the variety does not end with the décors: GLAMOUR panels are available with a high gloss effect, extra wide and with V-groove.



ELISABETH (58)
EDITOR



At home in the wide world, fashion editor Elisabeth from Düsseldorf has already seen and experienced a lot. Today, she is giving us an exclusive look into her wardrobe.

We see the high demand on quality and extravagance not only in the exquisite selection of her clothes. The appearance of the floors is also simply glamorous and could easily replace the red carpet.




**"STRESS – I DON'T
KNOW THAT.
I ONLY KNOW STRASS.
I'M IN THE
FASHION
BUSINESS!"**

– Karl Lagerfeld

GLAMOUR STONE 2.0

USE CLASS AC 4
BOX 8 panels
2,592 m²
PALLET 40 boxes
103,68 m²



8 mm

Can be supplied ex stock in  wrapping.

8 mm




5G



V4



D 2921
Carrara Marble
HG | V4



D 2935
White
HG | V4



U 190
Black
HG | V4



Q 1015
Pastello Grigio
HG | V4



Q 1016
Pastello Basalto
HG | V4



Q 1020
Martico Grigio
HG | V4



Q 1022
Martico Nero
HG | V4



Q 1023
Toscano Chiaro
HG | V4



Q 1024
Toscano Naturo
HG | V4




Q 1025
Toscano Grigio
HG | V4




GLAMOUR MAX

USE CLASS AC 4
BOX 4 panels
2,997 m²
PALLET 30 boxes
89,31 m²

Can be supplied ex stock in **FALQUON** wrapping.

8 mm 





8 mm



5G



V4



NEW

NEW

NEW



NEW

Q 1012
Cemento Marrone
MF | V4



NEW

Q 1013
Cemento Anthracite
MF | V4



NEW

Q 1014
Pastello Chiaro
MF | V4



NEW

Q 1015
Pastello Grigio
MF | V4




NEW

Q 1016
Pastello Basalto
MF | V4

THE CLIC-SYSTEM



Installing a new floor is now playfully easy: simply press the panels down with a finger, and they snap audibly into place. Take them out of the box, insert, push down and you're done! The snap-together 'Clic' system is specially engineered to withstand peak loads. Also globally unique is the fact that Kronotex uses an optimised profile for each flooring thickness, which makes an especially big difference with 10 mm and 12 mm flooring. Professional installers and DIY enthusiasts alike greatly appreciate the advantages!



- Much easier to install.
- Up to 50% quicker to install.
- No hammer, tapping block or pulling bar required.
- Safe and stable.
- You can walk on the floor immediately after installation.

INSTALLATION INSTRUCTIONS ON YOUTUBE

DIY expert Thomas provides tips and tricks for laying flooring in six easy steps.



WHAT COUNTS IS THE RIGHT BASE

Once you have decided on a floor, when quality and appearance are a perfect fit, then you need to check the requirements for perfect installation. Very important is a suitable subfloor:

- SWISS KRONO OSB
- old flooring such as wood, firmly-adhering PVC, dry ceramic, linoleum
- cement screed (max. residual moisture: 2.0 CM%)
- anhydrite cement and anhydrite f low cement screed (max. residual moisture: 0.3 CM%)
- magnesia screed (max. residual moisture: 3.0 CM%)

Have a screed specialist in your area give you a residual moisture report!

However, wet rooms, saunas, carpeting and xylolith are not suitable. Damp rooms are only suitable with special flooring designated for this purpose. The subfloor must be dry, level, firmly affixed and clean. Minor unevenness can be compensated with an underlay mat or – if exceeding 3 mm/m – sanded down or levelled with a filler.

CLEANING AND CARE

Kronotex floors are not only hygienic but also very easy to look after.

- Sweep the dry floor with a soft broom or use a vacuum cleaner.
- Marks and dirt can be wiped off with a slightly damp cloth, following the grain of the plank.
Special flooring designated for this purpose can also be cleaned with a mop or a household steam cleaner.
- Please use felt pads under furniture and soft rubber castors on chairs.
- Place door mats in special areas (hall, entrance). In industrial buildings, provide footwells.
- Minor damage to the floor can easily be repaired with a repair kit. In case of more serious damage, please consult a specialist.

FLOOR HEATING – NO PROBLEM

Kronotex floors can be readily installed upon underfloor heating, serve well and even help to save on heating costs.

- Be sure to heat mineral underlays before flooring installation to eliminate any excess dampness.
- Have a heating specialist in your area give you a heating report.
- Ensure that during installation, the surface temperature of the floor is at least 15 °C (60 °F).
- For dampness insulation and as a vapour barrier, use a PE film (0.2mm) underlayment.
To dampen sound, use PE foam or Kronotex matt underlay.
- At the beginning of each heating period, when you first turn on the underfloor heating, raise the temperature gradually in 5 °C (9 °F) increments per day until you reach the desired temperature.
The floor's surface temperature should not exceed 26 °C (80 °F).

KRONOTEX ACCESSORIES



SKIRTING BOARD KTEX 1

MDF, for attachment system
19 × 58 × 2400 mm

PACKET 10 pcs

PALLET 56 packets

Available décors: see page 81.



ACCESSORIES FOR SKIRTING BOARD KTEX 1

	PACKET	BOX
1 exterior corner piece (EC)	2 pcs	10 packets
2 interior corner piece (IC)	2 pcs	10 packets
3 end cap (EC)	1 × left, 1 × right	10 packets
4 connector	2 pcs	10 packets
Economy pack	2 EC, 6 IC, 2 EC (1 × left, 1 × right)	5 packets

Available in these colours: light brown, dark brown, white, silver and stainless steel look





SKIRTING BOARD CLIPS

For quick and easy installation of skirting boards.

PACKET 30 pcs



SKIRTING BOARD AQUA 80

19 × 80 × 2500 mm

PACKET 6 pcs

PALLET 30 packets

SKIRTING BOARD AQUA 60

19 × 60 × 2500 mm

PACKET 8 pcs

PALLET 30 packets



HDF core, white, wrapped with chlorine-free PP/TPE based polyblend with flexible top and bottom soft lips

KRONOTEX ACCESSOIRES



SKIRTING BOARD KTEX P

MDF, white, profiled, paintable

18 × 80 × 2400 mm

PACKET 8 pcs

PALLET 35 packets



SKIRTING BOARD KTEX F

MDF, white, chamfered, paintable

18 × 80 × 2400 mm

PACKET 8 pcs

PALLET 35 packets



CORNER PIECE FOR SKIRTING BOARDS KTEX F AND KTEX P

22 × 22 × 82 mm

PACKET 2 pcs

Available in white decor



KRONOTEX INSULATION UNDERLAYS

79

BASIC

Foam-based

25.000 × 1.000 × 2 mm

1 PACK 4 rolls = 100 m²

1 PALLET 40 rolls



BASIC PLUS

Foam-based with flat laminated PE foil

25.000 × 1.000 × 2 mm

1 PACK 4 rolls = 100 m²

1 PALLET 40 rolls



PREMIUM SOUND

PU-based with foil lamination

8.500 × 1.000 × 1,8 mm

1 PACK 1 roll = 8,5 m²

1 PALLET 40 rolls



Meets the minimum requirements for the collections of technical service class 33 and HERRINGBONE.

SUPERIOR SOUND

PU-based with foil lamination

5.500 × 1.000 × 2,8 mm


1 PACK 1 roll = 5,5 m²

1 PALLET 40 rolls



Meets the minimum requirements for the collections of technical service class 33 and HERRINGBONE.


OTHER KRONOTEX SKIRTINGS



**Skirting board
KTEX 4**
MDF,
for attachment system
22 × 40 × 2400 mm




**Skirting board
KTEX 5**
MDF
15 × 70 × 2400 mm



**Skirting board
KTEX 6**
MDF,
for attachment system
19 × 80 × 2400 mm




**Skirting board
KTEX 10**
MDF
10 × 58 × 2400 mm




**Skirting board
KTEX 11**
MDF,
for attachment system
21 × 70 × 2400 mm



**Skirting board
KTEX 12**
MDF,
for attachment system
15*/19,5** × 50 × 2400 mm



**Skirting board
KTEX 13**
MDF,
for attachment system
16 × 58 × 2600 mm




**Skirting board
KTEX 14**
MDF,
for attachment system
17 × 70 × 2600 mm



**Skirting board
KTEX 15**
MDF
16 × 80 × 2600 mm



**Skirting board
KTEX 16**
MDF
15 × 78 × 2400 mm



**Skirting board
KTEX 17**
MDF
18 × 40 × 2400 mm



**Skirting board
KTEX 18**
MDF,
for attachment system
13,5*/19** × 40 × 2400 mm



**Skirting board
KTEX 19**
MDF,
for attachment system
18 × 90 × 2400 mm



**Skirting board
KTEX 20**
MDF
17 × 17 × 2400 mm



**Skirting board
KTEX 21**
MDF
12 × 12 × 2400 mm



**Skirting board
KTEX 22**
MDF
16 × 16 × 2400 mm



**Skirting board
KTEX 23**
MDF
6 × 25 × 2600 mm



**Skirting board
KTEX 24**
MDF
4 × 25 × 2400 mm

AVAILABLE DECORS FOR SKIRTING BOARDS

81

DECOR	KTEX 1
D 2304	•
D 2450	•
D 2774	•
D 2800	•
D 2804	•
D 2805	•
D 2869	•
D 2873	•
D 2905	•
D 2929	•
D 2949	•
D 2955	•
D 2957	•
D 2967	•
D 2986	•
D 2987	•
D 2999	•
D 3000	•
D 3004	•
D 3007	•
D 3044	•
D 3066	•
D 3070	•
D 3073	•
D 3074	•
D 3075	•
D 3076	•
D 3077	•
D 3079	•
D 3081	•
D 3179	•
D 3180	•
D 3181	•
D 3223	•
D 3224	•
D 3239	•
D 3241	•
D 3242	•
D 3516	•
D 3570	•
D 3571	•
D 3572	•
D 3573	•
D 3590	•
D 3591	•
D 3592	•
D 3597	•
D 3660	•
D 3661	•
D 3662	•
D 3663	•
D 3664	•

DECOR	KTEX 1
D 3665	•
D 3668	•
D 3669	•
D 3670	•
D 3672	•
D 3673	•
D 3676	•
D 3678	•
D 3766	•
D 3773	•
D 3860	•
D 3861	•
D 4127	•
D 4152	•
D 4155	•
D 4163	•
D 4164	•
D 4166	•
D 4167	•
D 4168	•
D 4169	•
D 4170	•
D 4171	•
D 4609	•
D 4610	•
D 4611	•
D 4612	•
D 4613	•
D 4614	•
D 4668	•
D 4671	•
D 4672	•
D 4673	•
D 4675	•
D 4676	•
D 4679	•
D 4680	•
D 4681	•
D 4682	•
D 4684	•
D 4685	•
D 4686	•
D 4688	•
D 4689	•
D 4691	•
D 4692	•
D 4694	•
D 4697	•
D 4698	•
D 4699	•
D 4709	•
D 4716	•

DECOR	KTEX 1
D 4718	•
D 4721	•
D 4725	•
D 4726	•
D 4727	•
D 4728	•
D 4729	•
D 4731	•
D 4738	white
D 4739	white
D 4752	•
D 4754	•
D 4757	•
D 4763	•
D 4764	•
D 4765	•
D 4766	•
D 4771	•
D 4779	•
D 4781	•
D 4782	•
D 4783	•
D 4784	•
D 4785	•
D 4786	•
D 4787	•
D 4791	•
D 4792	•
D 4793	•
D 4794	•

DECOR	KTEX 1
D 4795	•
D 4796	•
D 4797	•
D 4801	•
D 4805	•
D 4953	•
D 4954	•
D 4955	•
D 4956	•
D 4957	•
D 4982	•
D 4983	•
D 4984	•
D 4985	•
D 4989	•
D 6006	•
D 6007	•
D 6009	•
D 6010	•
D 6012	•
D 6013	•
D 6014	•
D 6016	•
D 6017	•
D 6019	•
D 6020	•
D 6021	•
D 6402	•
D 6406	•
D 6407	•

DECOR	KTEX F	KTEX P
U 190	white	white
D 2921	white	white
D 2935	white	white
D 3550	white	white
Q 1001	white	white
Q 1002	white	white
Q 1011	white	white
Q 1012	white	white
Q 1013	white	white
Q 1014	white	white
Q 1015	white	white
Q 1016	white	white
Q 1020	white	white
Q 1022	white	white
Q 1023	white	white
Q 1024	white	white
Q 1025	white	white

DECOR	Aqua 60	Aqua 80
P 1205	•	•
P 1207	•	•
P 1208	•	•
P 1209	•	•
P 1211	•	•
P 1212	•	•



Skirting board may differ from flooring decor in colour and structure.

ONLINE FLOOR STUDIO

Experience the effect of differing woods, ornamentation, wall and furniture colours in an accurate representation of any room. The online floor studio is the ultimate tool for both end user and sales support.



COLOUR SELECTOR

With one mouse click you can select the appropriate shade and tone from our whole collection.

ADDITIONAL SELECTION CRITERIA

These offer the perfect opportunity to narrow down your search for the perfect floor. You can select from various qualities, including the type of element, the decoration number or the strength.

SURFACE VIEW

Allows you to view elements from both head-on front and in perspective.

NOTES

Gives you the opportunity to get extra information about any of our products simply and conveniently.

THE LINK FUNCTION

With the link function, you can put your ideas before customers, suppliers, users and planners.



Not only do SWISS KRONO TEX floors meet the prescribed norms, they consistently exceed them! This is possible because SWISS KRONO TEX adopts a fully-integrated approach to production (from the tree through to the finished panel), and has numerous control and measuring devices at its disposal. For this reason, Kronotex can offer guarantees which go far and beyond warranties under law. You will be hard pressed to find any other producer who can do likewise.

SWISS KRONO TEX GmbH & Co. KG (in the following: Kronotex) provides buyers in addition to the unenumbered guarantee under law, an additional guarantee covering the abrasion resistance of the floor's surface. It extends from the date of purchase and covers the products as follows:

CONDITIONS OF GUARANTEE

Kronotex panels must be checked before and during installation for any defects. No liability is accepted for flooring installed despite visible defects. Kronotex floors must be installed properly according to the instructions, in a dry room, and in accordance with the respective use class.

Abrasion areas on Kronotex floors must be clearly visible and at least 1 cm² in size. And in particular the design layer must be completely abraded. No liability is accepted for abrasion on the edges of the elements or for unusual or improper use, and in particular for damage caused by mechanical stress.

Validity of guarantee is dependent on regular cleaning and maintenance of Kronotex floors as described in the care instructions. Claims under guarantee are valid only if submitted within 30 days of ascertaining damage and accompanied by the original receipt from the retailer. In investigating a guarantee claim, Kronotex retains the right to examine the floor in question on site.

OUR GUARANTEE

In cases falling under guarantee, Kronotex will deliver a replacement for the damaged element. If the flooring in question is no longer available, then the buyer can choose a replacement of equal value from the current Kronotex product line. Since an annual 10% depreciation in the value of Kronotex flooring can be assumed, delivery of a compensation product is dependent on payment of the appropriate difference by the buyer. If an equivalent replacement is not available, the buyer can demand financial compensation. In this case Kronotex will reduce the refund amount by 10% for each year of use of the Kronotex flooring. No liability is accepted for financial losses or further damages, especially consequential damages such as those incurred during installation or removal, or transport costs for damaged Kronotex floors.



P 1207
Logan Oak



Our Environmental Product Declarations (EPDs) are globally acknowledged and accepted Type III environmental labels conforming to ISO 14025.

Manufacture and product control are in accordance with DIN EN 13329. The right to technical modifications is reserved. The illustrations may differ from the actual products. As of 04-2021.

Art.-Nr.: T00002

Layout: emotions4life

Pictures: Noel Richter, Shutterstock, Adobe Stock,
Doering & Waesch, Sterntaucher, Gordon Wells,
Vogelsänger, Kronotex, emotions4life
EN 001.5-0421-SK-WEI



SWISS KRONO TEX GmbH & Co. KG
Wittstocker Chaussee 1
D-16909 Heiligengrabe / Germany

dehe.sales.floor@swisskrono.com
swisskrono.com/de