



KRONOTEX

BY SWISS KRONO GROUP




Made in 
Germany

EN

FLOORS FOR LIVING

2020



Start thinking about
tomorrow now...

Cover Picture: D 4726
Mountain Oak Brown
MAMMUT PLUS

OUR ENVIRONMENTAL PRODUCT DECLARATION

In order for environmental product balance sheets to be meaningful, they must be objectively comparable. So to let our customers easily understand and contrast our lifecycle analyses and environmental product data with those of other materials, we have firmly committed ourselves to a policy of total product transparency. We openly and voluntarily communicate the ecological balance sheets of our wood-based products in our Environmental Product Declarations (EPDs). Each EPD is issued by the Institute Construction and Environment e.V. (IBU) in a format which was developed on the basis of internationally valid ISO standards in close collaboration with building and environmental authorities in Germany.

WE STAND FOR ECOLOGY

The only way to master major challenges is for all players to pull on one rope. One of the biggest and most urgent tasks facing humanity today is to protect the environment. 'Together we are strong!' – this statement also applies to achieving the sustainability goals we have set ourselves. All of our staff are involved in protecting the environment on a day-to-day basis. Each and every one of them is appropriately informed, instructed and trained. This ensures that every department has the environmental expertise it requires. We use our 'management for the earth' programme to raise the level of environmental awareness in the entire SWISS KRONO team. Our environmental management efforts focus on achieving the eco-efficiency defined in our corporate objectives. Every product that leaves our factory must exhibit both excellent price/performance and superb environmental compatibility. This starts with the exclusive use of legal, certified raw materials from sustainably managed forests, continues with rigorously monitored production, and is also ensured during subsequent utilisation and ultimate disposal of our products.

WE HAVE BIG PLANS

We have a clearly defined goal: we want you, ourselves and future generations to continue enjoying life and good health on our unique blue planet. We are therefore continuing to develop eco-friendly wood-based materials which are healthy for you and the environment alike. Right now we are preparing EPDs for all of our Kronotex laminate floorings to facilitate direct comparison and checking of their environmental benefits. Has our environmental commitment piqued your curiosity? We'll be happy to answer your questions.

Simply e-mail us at: dehe.sales.floor@swisskrono.com



www.blauer-engel.de/uz176

- low emissions and pollutants
- wood from sustainable forestry
- no adverse impact on health in the living environment



DID YOU KNOW?

- ✓ ... that at the end of their life cycle, our laminate floorings can be recycled as completely harmless residual waste?
- ✓ ... that Kronotex laminate flooring is free of PVC and plasticisers?
- ✓ ... that we openly communicate the life cycle assessments of our wood-based products with the Environmental Product Declaration?"



A floor is the foundation for every type of room design, and hence the basis for creating one's own sense of what life should be all about.

For this purpose, Kronotex opens up a completely new world for you. Experience laminate floors which meet all demands, which feature unique aesthetics and top-class quality. There is no limit to where your imagination can carry you!



WE'RE PASSIONATE ABOUT WOOD

SWISS KRONO – A STRONG BRAND FAMILY

As a Swiss family company, we develop design solutions for sophisticated living spaces made from natural raw materials – in more than 121 countries, with expertise born from years of experience and outstanding interior and exterior results.



PARTNERSHIP

We work together with you to develop first-class solutions that truly suit your needs. We are always at your side, even after the end of a project. Your trust is what drives us.

MADE IN GERMANY

All of our products are designed, manufactured and certified in Germany. This outstanding quality reflects the high demands we place on ourselves every day in order to provide you with the best possible solution.

RESPONSIBILITY

We are dedicated to a high level of resource efficiency and renewable energy. Our strategy: complete usage of material flows, short distances, renewable energy sources and a high level of energy efficiency.

Further information can be found on: swisskrono.com

CONTENTS

Structures & surfaces	06
Characteristics / individual features	08
Rooms with high humidity	09
Product overview	10

MAMMUT PLUS



MAMMUT



AQUA ROBUSTO



ROBUSTO



AMAZONE



HERRINGBONE



MEGA PLUS



EXQUISIT PLUS



EXQUISIT



DYNAMIC PLUS



GLAMOUR



The CLIC-System	72
Installation instructions on YouTube	73
Technical information	74
Accessories	76
Online floor studio	82
Quality on principle	83

Made in  Germany

STRUCTURES & SURFACES




PR / Wood Pore
typical wood structure




MO / Matt Oiled
matt oiled surface appearance



WG / Wood Grain
rustic embossing




ST / Stone
distinctive stone



ER / Registered Emboss
genuine wood appearance due to
consistency between pattern
and embossing



HG / High Gloss
high gloss surface hardened with
electron beam




AF / Authentic Floor
natural and vivid wood texture




UL / Used Look
with apparent signs of wear
and tear




MF / Matt Finish
electron beam-hardened matt
surface




1-Strip





2-Strip




3-Strip



Multi-Strip



Natural stone format XL



Natural stone format


CHARACTERISTICS



Kronotex floors are low-maintenance and hard-wearing.




Kronotex floors are flame resistant.



Kronotex floors are largely resistant to cigarette burns.



Kronotex floors are non-fading and retain their brilliance over many years.



Kronotex floors are rugged, load-resistant and impact-resistant.




Kronotex floors are abrasion-resistant.




Kronotex floors are produced from natural sustainable raw materials.




Kronotex floors are comfortable underfoot.



Kronotex floors are well suited for installation over subfloor heating.




Kronotex floors are stain-resistant.




Kronotex floors are virtually scratchproof.


INDIVIDUAL FEATURES



These panels are especially long.




These panels are especially wide.



These panels are especially narrow.



These panels have a special surface structure.




High gloss surface




Antistatic



A and B panels must be available in equal numbers. Note the marking on the package.



These panels are equipped with a 45° bevelled edge all around. When joined together, a V-groove is created, which conveys a natural solid wood plank character.



Fast installment thanks to an easy-to-use interlocking system for the long and short sides of the boards.




A 5G Clic system makes the flooring even easier to install.



AQUA-PEARL System

Thanks to our special AQUA-PEARL System, our **AQUA ROBUSTO** laminate is highly water-repellent, resistant to all kinds of liquids and extremely durable. The combination of force-fit locking system, mounting board highly resistant to swelling and specially designed skirting board AQUA 60/80 allows liquids to stand for up to 24 hours (according to NALFA surface swell test).



The natural product is particularly suitable for children and pets who are in frequent contact with the laminate flooring. It can easily forgive a mishap or two.



The AQUA PEARL System floors can easily be cleaned with a **damp mop and steam cleaner (household appliance)**.



Liquids and standing water should be removed within 24 hours (according to NALFA surface swell test).


Suitable for rooms with high humidity.

Not suitable for outdoor areas, rooms with permanently high moisture load, e.g., shower cubicles, saunas and rooms with floor drains.



Selected collections with moisture protection


We have made the best even better: high-quality decors from the **MAMMUT PLUS, MAMMUT, ROBUSTO, AMAZONE** and **HERRINGBONE** laminate collections have been optimised in order to withstand moisture penetration even longer. The resin-rich pine from Mark Brandenburg and special gluing processes ensure significantly reduced swelling of the laminate flooring.



The natural product is particularly suitable for children and pets who are in frequent contact with the laminate flooring. It can easily forgive a mishap or two.



The floors with moisture protection can be easily cleaned with a **damp mop**.



Although designed for improved resistance to water and moisture, it is not waterproof and excessive wetting and standing water should be avoided.

Suitable for rooms with high humidity.

Not suitable for outdoor areas, rooms with permanently high moisture load, e.g., shower cubicles, saunas and rooms with floor drains.

PRODUCT OVERVIEW

MAMMUT PLUS

PANEL 1845 × 244 × 10 mm | **BOX** 4 panels | 1,800 m² | **PALLET** 42 boxes | 75,600 m²



AC 5
COMMERCIAL 33*

MAMMUT


PANEL 1845 × 188 × 12 mm | **BOX** 4 panels | 1,387 m² | **PALLET** 56 boxes | 77,697 m²



AC 5
COMMERCIAL 33*

AQUA ROBUSTO


PANEL 1380 × 191 × 12 mm | **BOX** 5 panels | 1,318 m² | **PALLET** 56 boxes | 73,808 m²



AC 5
COMMERCIAL 33*

ROBUSTO

PANEL 1375 × 188 × 12 mm | **BOX** 5 panels | 1,293 m² | **PALLET** 56 boxes | 72,380 m²



AC 5
COMMERCIAL 33*

AMAZONE

PANEL 1380 × 157 × 10 mm | **BOX** 6 panels | 1,300 m² | **PALLET** 40 boxes | 52,000 m²



AC 5
COMMERCIAL 33*

NEW

HERRINGBONE

PANEL 665 × 133 × 8 mm | **BOX** 14 panels | 1,238 m² | **PALLET** 96 boxes | 118,848 m²



AC 4
COMMERCIAL 32**

MEGA PLUS

PANEL 1380 × 326 × 8 mm | **BOX** 5 panels | 2,249 m² | **PALLET** 45 boxes | 101,223 m²



AC 4
COMMERCIAL 32

EXQUISIT PLUS

PANEL 1380 × 244 × 8 mm | **BOX** 8 panels | 2,694 m² | **PALLET** 42 boxes | 113,138 m²



AC 4
COMMERCIAL 32

EXQUISIT

PANEL 1380 × 193 × 8 mm | **BOX** 8 panels | 2,131 m² | **PALLET** 56 boxes | 119,320 m²



AC 4
COMMERCIAL 32

DYNAMIC PLUS

PANEL 1380 × 193 × 8 mm | **BOX** 8 panels | 2,131 m² | **PALLET** 56 boxes | 119,320 m²



AC 4
COMMERCIAL 32

GLAMOUR STONE

PANEL 644 × 310 × 8 mm | **BOX** 10 panels | 1,996 m² | **PALLET** 42 boxes | 83,849 m²



AC 4

COLOUR

PANEL 644 × 310 × 8 mm | **BOX** 10 panels | 1,996 m² | **PALLET** 42 boxes | 83,849 m²



AC 4

MAX

PANEL 1220 × 610 × 8 mm | **BOX** 4 panels | 2,977 m² | **PALLET** 30 boxes | 89,31 m²



AC 4

WOOD

PANEL 1220 × 193 × 8 mm | **BOX** 8 panels | 1,884 m² | **PALLET** 36 boxes | 67,81 m²



AC 4


* Minimum requirements for the underlay material are CS 60 kPa and DL 2 according to EN 16354.

** Minimum requirements for the underlay material are CS 120 kPa and DL 2 according to EN 16354.

What goes around, comes around!

12

D 4725
Mountain Oak Nature



MAMMUT PLUS

MOUNTAIN OAK NATURE

13

A LOVE OF DETAIL

With its particularly wide panels, MAMMUT PLUS makes for an extremely elegant atmosphere. And so this floor is particularly suitable for larger rooms, effectively underlining their spacious architecture. However, MAMMUT PLUS reveals its real greatness not only in its width, but also in its length. And that's not all: an immaculate natural wood look, realised to the highest degree of authenticity – there can hardly be a better combination of robustness and naturalness. MAMMUT PLUS is therefore the right choice for anybody who sets the highest standards for the ambience of their surroundings.

JULIA (37)
BJÖRN (45)
EMMA (6)



Julia and Björn live with their little daughter Emma in a flat in an old building in Hamburg. When the nature-loving family is not outdoors, we can visit them in their beautiful home. The couple renovated the classic old building with great attention to detail.


In capturing the charm of a bygone era, they have found a perfect product in the form of Mammut Plus laminate flooring that satisfies both the desire for a natural look and the highest standards, as well as being so robust that Emma can play around on it to her heart's content.









MAMMUT PLUS

USE CLASS 33 | AC 5
BOX 4 panels
 1,800 m²
PALLET 42 boxes
 75,600 m²

10 mm



The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.





D 4738
Northland Oak
1-Strip | ER | V4



D 4752
Makro Oak Light
1-Strip | ER | V4



D 4791
Makro Oak Brown
1-Strip | ER | V4



D 4792
Makro Oak Grey
1-Strip | ER | V4



D 4793
Makro Oak White
1-Strip | ER | V4



D 4794
Makro Oak Nature
1-Strip | ER | V4



D 4795
Highland Oak Bronze
1-Strip | ER | V4



D 4796
Highland Oak Titan
1-Strip | ER | V4



D 4797
Highland Oak Silver
1-Strip | ER | V4



D 4798
Highland Oak Black
1-Strip | ER | V4



Art cannot be modern - art is eternal.

16

D 4728
Mountain Oak Beige



MAMMUT

MOUNTAIN OAK BEIGE

17

STYLE IS HERE A PHILOSOPHY OF LIFE

Classic aesthetics and functionality are successfully combined here. Anyone who appreciates the unmistakable, natural-looking appearance of oak planks and, at the same time, wants maximum load-bearing capacity, will find that MAMMUT meets both requirements. The perfection achieved in this way is rightly regarded as the top product among laminate floorings. Especially since here – as in all Kronotex collections – great importance is attached to sustainability. Whether you opt for more traditional colour nuances or a modern colouring in white or grey – with its particularly long and hard-wearing panels, MAMMUT is the crowning glory of the timeless country house look. Because this classic of laminate art effortlessly outlives all the stylistic changes of different epochs.

LARS (41)
ARTIST




Lars lives and works in a self-constructed workshop in the countryside. A central factor in his life is the sustainable resource of wood. As a trained carpenter and wood artist, he knows this material inside out.

Lars decided to use Mammut laminate flooring for the design of his apartment – because nobody can fool him about wood: only the best is good enough.





USE CLASS 33 | AC 5
BOX 4 panels
 1,387 m²
PALLET 56 boxes
 77,697 m²

12 mm




The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.





D 3179

Everest Oak White
1-Strip | ER | V4




D 3669

Makro Oak Beige
1-Strip | ER | V4



D 3670

Makro Oak Light Grey
1-Strip | ER | V4



D 4152

Everest Oak Nature
1-Strip | ER | V4



D 4673

Matterhorn Oak Silver
1-Strip | ER | V4



D 4675

Matterhorn Oak Ruby
1-Strip | ER | V4

MAMMUT

12
mm



USE CLASS 33 | AC 5

PANEL 1845 x 188 x 12 mm | **BOX** 4 panels | 1,387 m² | **PALLET** 56 boxes | 77,697 m²

NEW

D 4676

Matterhorn Oak Bronze
1-Strip | ER | V4

D 4725

Mountain Oak Nature
1-Strip | ER | V4

D 4726

Mountain Oak Brown
1-Strip | ER | V4

D 4727

Mountain Oak Grey
1-Strip | ER | V4

D 4728

Mountain Oak Beige
1-Strip | ER | V4

D 4752

Makro Oak Light
1-Strip | ER | V4

D 4791

Makro Oak Brown
1-Strip | ER | V4



D 4792
Makro Oak Grey
1-Strip | ER | V4



D 4793
Makro Oak White
1-Strip | ER | V4



D 4794
Makro Oak Nature
1-Strip | ER | V4



D 4795
Highland Oak Bronze
1-Strip | ER | V4



D 4796
Highland Oak Titan
1-Strip | ER | V4



D 4797
Highland Oak Silver
1-Strip | ER | V4



D 4798
Highland Oak Black
1-Strip | ER | V4



A bright, modern interior space, likely a sunroom or greenhouse, featuring large black-framed windows that look out onto a lush green landscape. The floor is made of light-colored wood-look planks. In the foreground, there are several potted plants, including a large arrangement of purple and white flowers in a silver bucket and a smaller one in a white crate. A black wire basket sits on the floor. In the background, a black metal shelving unit holds various items, and a wooden stool with a basket on top is visible. A broom and a pair of black boots are leaning against the wall. The overall atmosphere is bright and airy.

Giving returns to the giver!

22

P 1207
Logan Oak

AQUA ROBUSTO

LOGAN OAK

23

THE UNCOMPLICATED ALL-ROUNDER

When it comes to the relationship between laminate flooring and water, you will hear that great care is required – but not with our AQUA ROBUSTO collection. No matter whether it is a fallen flower vase, a leaking heater or the water spilled from the bowl of your beloved pet – all this leaves barely a trace on AQUA ROBUSTO. Thanks to a highly swell-reduced carrier plate and a force-locked locking system, this product line is extremely water-repellent, resistant to all types of liquids, and highly resilient. Need proof? Gladly: in combination with the AQUA skirting board, AQUA ROBUSTO can resist standing liquids for 24 hours without any signs of fatigue (according to NALFA test).



ANNA (32)
FLORIST



As a trained florist, Anna loves the special things in life. With a lot of love and sensitivity, this woman from Dresden realised her dream of creating her own flower paradise.

With the goal of combining aesthetics and functionality in the design of her shop, Anna opted for a very special laminate flooring.

In addition to its visual appearance, it was important to find a product that would meet all the demands of daily work, is forgiving and, at the same time, would emphasise the unusual style of Anna's shop.



AQUA ROBUSTO

USE CLASS 33 | AC 5
BOX 5 panels
1,318 m²
PALLET 56 boxes
73,808 m²

12 mm



12
mm



V4

Liquids and standing water should be removed within 24 hours. Please find additional information on page 9.



P 1201
Camelot Oak
1-Strip | AF | V4



P 1202
Adak
1-Strip | ML | V4




P 1203
Smart Chestnut
1-Strip | ER | V4



P 1204
Viking Pine
1-Strip | UL | V4



P 1205
Ageless Teak
1-Strip | AF | V4



P 1206
Nature Chestnut
1-Strip | ER | V4



P 1207
Logan Oak
1-Strip | ER | V4



P 1208
Tyler Oak
1-Strip | ER | V4



P 1209
Nebraska Oak
1-Strip | AF | V4



P 1210
Pure Oak
1-Strip | AF | V4



P 1211
Catania Oak
1-Strip | AF | V4



P 1212
Classic Hickory
1-Strip | ML | V4

You cannot make an omelette without breaking eggs...

26

D 4989
Right Oak Light



ROBUSTO

RIGHT OAK LIGHT

27

THE WORKAHOLIC: FOR PERMANENT STRESS

If load-bearing capacity is a priority when choosing the floor, it is clear what you should choose: namely – nomen est omen – ROBUSTO. With a high-density, 12-millimetre-thick carrier plate and the Clic system, which was developed for peak loads, ROBUSTO stands for maximum resistance. Not to mention its surface, which can withstand a lot. A floor on which you can make a lot of demands without any problems and which retains its original beauty for many years even when used commercially.



LARS (41)
ARTIST



We are once again with Lars. He shows us how life and work form a unity for the artist. He takes us to his workshop with adjacent studio.


We stand in his dream workshop and feel the passion for the material of wood that drives Lars!

So, you cannot make an omelette without breaking eggs? But that doesn't bother the Robusto laminate, because it lives up to its name in terms of resilience.



ROBUSTO

USE CLASS	33 AC 5
BOX	5 panels 1,293 m ²
PALLET	56 boxes 72,380 m ²



12
mm





5G
Laminate by Vinge



V4



The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.






D 3570
Harbour Oak
1-Strip | ER | V4



D 3571
Timeless Oak Grey
1-Strip | ER | V4



D 3572
Harbour Oak Grey
1-Strip | ER | V4



D 3573
Harbour Oak Dark
1-Strip | ER | V4



D 3590
Timeless Oak
1-Strip | ER | V4



D 3591
Atlas Oak Coffee
1-Strip | ER | V4

ROBUSTO

12
mm



5G
UNIVERSAL
LOCKING



V4


USE CLASS 33 | AC 5

PANEL 1375 x 188 x 12 mm | BOX 5 panels | 1,293 m² | PALLET 56 boxes | 72,380 m²



D 3592

Atlas Oak Anthracite
1-Strip | ER | V4



D 4610

Port Oak Titan
1-Strip | ER | V4




D 4611

Port Oak Medium
1-Strip | ER | V4



D 4684

Ebro Oak
1-Strip | ML | V4



D 4685

Jalon Oak
1-Strip | ML | V4




D 4686

Adaja Oak
1-Strip | ML | V4



D 4731
Rustic Oak
1-Strip | AF | V4




D 4763
Pettersson Oak Beige
1-Strip | ER | V4



D 4779
Fantasy Wood
1-Strip | UL | V4



D 4954
Premium Oak
1-Strip | AF | V4




D 4955
Premium Oak Nature
1-Strip | AF | V4



D 4956
Premium Oak Grey
1-Strip | AF | V4



D 4957
Premium Oak Brown
1-Strip | AF | V4



D 4989
Right Oak Light
1-Strip | AF | V4

Good vibes only - feel the universe inside of you.

32

D 3662
Montmelo Oak Silver



AMAZONE

MONTMELO OAK SILVER

33

FEEL THE LIGHTNESS OF BEING

The grace of the slender line – this is how the AMAZONE collection could be aptly characterised. Extra narrow panels accentuate the lines that seem to separate and join them at the same time. A floor for lovers of delicate elegance, and which is particularly suitable for smaller rooms, as its graceful lines give them the appearance of optical extension. The collection captivates with a variety of different decors, from almost monochrome to clearly patterned, which opens up a lot of space for different individual design preferences.

JETTE (35)
YOGA
TEACHER



In times of stress and a hectic pace of life, Jette from Berlin shows us how she finds her inner balance. She has created her own little oasis at home. Here, she teaches yoga and passes on the art of conscious living with great passion.


Always in flux is her motto – and this also applies to the design of her yoga studio.

At her feet, the Amazone laminate impresses with its graceful lightness. The ideal ground for coming into harmony with nature.

नमस्ते
NAMASTE

AMAZONE


USE CLASS	33 AC 5
BOX	6 panels 1,300 m ²
PALLET	40 boxes 52,000 m ²



The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.



D 2967
Siberian Spruce
1-Strip | MX | V4




D 3239
Prestige Oak White
1-Strip | ER | V4




D 3572
Harbour Oak Grey
1-Strip | ER | V4



D 3597
Timeless Oak Beige
1-Strip | ER | V4



D 3662
Montmelo Oak Silver
1-Strip | ER | V4



D 3668
Oak Discreet
1-Strip | AF | V4



D 4166
Prestige Oak Nature
1-Strip | ER | V4



D 4167
Prestige Oak Grey
1-Strip | ER | V4



D 4169
Prestige Oak Light
1-Strip | ER | V4



D 4686
Tajo Oak
1-Strip | ML | V4



D 4754
Hella Oak
1-Strip | UL | V4



D 4766
Pettersson Oak Dark
1-Strip | ER | V4



Getting back to basics!

36

D 3861
Pisa Oak



HERRINGBONE

PISA OAK

37

A CLASSIC – NEWLY LAID

What do you associate with a herringbone floorboard? Probably the graceful elegance of sophisticated country estates, venerable castle walls, Viennese coffee houses or the foyers of opera houses and theatres. And this is exactly the elegance that you can now bring into your own home – with our HERRINGBONE collection. It enhances your rooms with an Art Deco and Art Nouveau ambience. And so, in combination with modern interior design, you can create superbly attractive contrasts between tradition and modernity, between fashion and history, in your own living space. HERRINGBONE – this is a completely new laying technique in the world of laminate flooring, of through which you can easily create a floor covering with a very complex appearance.



JAN (44) FREELANCER



Jan let us have a look round his apartment. Far away from the mainstream, the freelancer lives in a stylish loft in Rostock.

This creative artist attaches great importance to quality and to an unusual lifestyle.


His sense of taste captivates with the combination of classic elements and bold contrasts. His credo: everything besides the ordinary – and this also extends to his choice of the Herringbone laminate.

Jan's herring tip!


- | | |
|-------------------------------|-------------------|
| 2 packets of pickled herrings | 1 onion |
| 1 apple | 1 cup of cream |
| 1 cup natural yoghurt | 3 tbsp mayonnaise |
| 3 gherkins | salt, pepper |
| 3 eggs, cooked | |
| vinegar | |

HERRINGBONE


USE CLASS	32 AC 4
BOX	14 panels 1,238 m ²
PALLET	96 boxes 118,848 m ²






8 mm



The decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.







The ingenuity lies in the complicated simplicity!

40

D 4754
Hella Oak



MEGA PLUS

HELLA OAK

41

VARIATIONS ON LAMINATE

The collection for people who love the extraordinary – that is MEGA PLUS. This product line offers you not only a wide range of design options with natural stone decors in a tile look, but also extravagant wood decors in particularly wide panels with which you can create particularly vibrant floor patterns. With this wide range of different shapes and decors, practically all your special wishes can be fulfilled. This means that practically anyone who wants to design their home in a particularly individual way with a somewhat more unusual living ambience can realise their ideas. Give free rein to your creativity!



HEALTHY
FOOD

OLE (32)
RESTAURATEUR



This is Ole from Bremen. This open-minded Northerner has recently fulfilled his dream of opening his own vegan restaurant. It was much more difficult for him to decide what to put on the menu than what to put on the ground.

Kronotex's ecological philosophy and the huge selection of decors immediately convinced the environmentalist.

He opted for a laminate flooring from the MEGA PLUS collection that was full of character and contrasts, with a massive presence that perfectly matches him and his concept: simply stylish!



MEGA PLUS

USE CLASS 32 | AC 4
BOX 5 panels
2,249 m²
PALLET 45 boxes
101,223 m²


8 mm



D 3668
Oak Discreet
1-Strip | AF | V4




D 4754
Hella Oak
1-Strip | UL | V4



D 4763
Pettersson Oak Beige
1-Strip | ER | V4



D 4766
Pettersson Oak Dark
1-Strip | ER | V4




D 4998
Beach Oak
Multi-Strip | AF | V4

Bon
Appetit

MEGA PLUS

USE CLASS 32 | AC 4
BOX 5 panels
 2,249 m²
PALLET 45 boxes
 101,223 m²

8 mm 



Natural stone format XL.
 Long plank with
 visual centre joint.




D 2869

Senia
 Natural stone format XL | ST | V4




D 3000

Naxos
 Natural stone format XL | ST | V4



D 3079

Himalaya
 Natural stone format XL | ST | V4







D 4739

Concrete
 Natural stone format XL | ST | V4

MEGA PLUS


USE CLASS 32 | AC 4
BOX 5 panels
 2,249 m²
PALLET 45 boxes
 101,223 m²

8 mm 






D 4754
Hella Oak



D 4681 Loft Beige
Natural stone format XL
BT | Micro V4



D 4682 Loft Light
Natural stone format XL
BT | Micro V4



D 4699 Sonam
Natural stone format XL
BT | Micro V4

Your speed doesn't matter - forward is forward!

46

D 4984
Oriental Oak White



EXQUISIT PLUS

ORIENTAL OAK WHITE

47

TIMELESS COMPANION

Perfection in panel form: with the EXQUISIT PLUS collection, you can easily create a feel-good atmosphere. The extra-wide panels in various natural wood looks invite you to create an ambience of elegance and generosity. Feel the combination of warmth and nature – noble and high-quality, furnished with embossed grain and a matt shimmer. The precisely milled V-groove completes the convincing appearance, as you would expect from a plank floor. That is the perfection you dream of.



KASSIOPEIA (4)



My name is Kassiopeia and because everyone has just gone out, I will now explain to you why my master and mistress chose this floor.


I think they really go for an exquisite and special style. Back then, they were looking for a laminate that radiated warmth and cosiness. Were they thinking of me at the same time?

FUNFACT:

Turtles can see better than humans!




Some of them can even perceive infrared or ultraviolet light!




EXQUISIT PLUS

USE CLASS 32 | AC 4
BOX 8 panels
2,694 m²
PALLET 42 boxes
113,138 m²

8 mm 



*Just take
it slow...*



D 3044
Rift Oak
1-Strip | MX | V4




D 3570
Harbour Oak
1-Strip | ER | V4



D 3572
Harbour Oak Grey
1-Strip | ER | V4



D 3660
Montmelo Oak Creme
1-Strip | ER | V4



D 3661
Montmelo Oak Nature
1-Strip | ER | V4



D 3662
Montmelo Oak Silver
1-Strip | ER | V4



D 3663
Montmelo Oak Lava
1-Strip | ER | V4




D 3664
Montmelo Oak Toffee
1-Strip | ER | V4




D 3673
Bergamo Oak
1-Strip | AF | V4



D 4164
Village Oak
1-Strip | MX | V4




D 4684
Aragon Oak
1-Strip | ML | V4



D 4691
Sevilla Oak
1-Strip | ER | V4



D 4692
Barcelona Oak
1-Strip | ER | V4




D 4694
Madrid Oak
1-Strip | ER | V4



D 4698
Chevron Oak
1-Strip | ML | V4



EXQUISIT PLUS




USE CLASS 32 | AC 4

PANEL 1380 × 244 × 8 mm | BOX 8 panels | 2,694 m² | PALLET 42 boxes | 113,138 m²



D 4708

Visby
1-Strip | UL | V4



D 4710

Walnut Mataro
1-Strip | ER | V4



D 4716

Chestnut Pinot
1-Strip | ER | V4



D 4764

Pettersson Oak Nature
1-Strip | ER | V4



D 4766

Pettersson Oak Dark
1-Strip | ER | V4



D 4783

Gala Oak Nature
1-Strip | ER | V4



D 4784

Gala Oak Brown
1-Strip | ER | V4



D 4785
Gala Oak Titan
1-Strip | ER | V4



D 4787
Gala Oak White
1-Strip | ER | V4



D 4981
Trail Oak
2-Strip | UL | V4



D 4983
Oriental Oak Nature
1-Strip | ER | V4



D 4984
Oriental Oak White
1-Strip | ER | V4



D 4997
Fine Oak
Multi-Strip | ML | V4

Life is too short to drink bad wine!

52

D 4805
Ahota



EXQUISIT

AHOTA

53

THE BEST SELECTION

The plank floor – a real classic that simply never loses its appeal. With our EXQUISIT collection, you can bring this charm into your own home – coupled with the numerous advantages of a modern and high-quality laminate flooring. EXQUISIT radiates cosiness every day with the naturalness and appearance of solid wood. Thanks to the embossed grain, the floor is an elegant and authentic experience, both visually and haptically. Last but not least, the milled V-groove underlines the natural impression and creates a look that resembles that of a good old plank floor.

FRANZ (71)
WINE
CONNOISSEUR



Franz does things right and enjoys life to the full. As a pensioner, he can devote himself completely and passionately to his small vineyard in the Palatinate.

After intensive planning, he realised a long-cherished dream and built himself a private wine cellar.

The Exquisit Ahota laminate flooring from Kronotex, which Franz has chosen, is just as exquisite as the wines themselves.



USE CLASS 32 | AC 4
BOX 8 panels
 2,131 m²
PALLET 56 boxes
 119,320 m²



8 mm

WINE
Time




8
mm



5G
Vollgeplätt



V4






D 3223
Atlas Oak White
1-Strip | ER | V4




D 3224
Atlas Oak Nature
1-Strip | ER | V4



D 3241
Nostalgie Teak Beige
1-Strip | ER | V4




D 3242
Nostalgie Teak Silver
1-Strip | ER | V4



D 3665
Rosemont Oak
Multi-Strip | AF | V4




D 3672
Turin Oak
1-Strip | AF | V4



D 4166
Prestige Oak Nature
1-Strip | ER | V4



D 4168
Prestige Oak Dark
1-Strip | ER | V4



D 4169
Prestige Oak Light
1-Strip | ER | V4

EXQUISIT

8
mm




5G
improved by
Vollinge



V4


USE CLASS 32 | AC 4

PANEL 1380 × 193 × 8 mm | BOX 8 panels | 2,131 m² | PALLET 56 boxes | 119,320 m²




D 4170

Nostalgie Teak
1-Strip | ER | V4




D 4171

Nostalgie Teak Graphit
1-Strip | ER | V4



D 4609

Port Oak
1-Strip | ER | V4



D 4612

Port Oak Grey
1-Strip | ER | V4




D 4613

Ash Copper
1-Strip | AF | V4





D 4688

Sierra Oak Titan
1-Strip | ML | V4



D 4689

Sierra Oak Gold
1-Strip | ML | V4



Wanderlust - because nature must be felt

58

D 4636
Maple



DYNAMIC PLUS

MAPLE

59

BRINGING DYNAMISM INTO THE HOME

The big plus in joie de vivre – that's the DYNAMIC PLUS collection. Unfold your individuality and find your decor in a selection of the highest variety. DYNAMIC PLUS is therefore the ideal floor for your ideas – and for a long time to come! Because it is universally usable and very resilient. DYNAMIC PLUS can even be lightly and easily integrated into any extensions or a new installation at a different location. This applies even to medium commercial use. Be inspired by the liveliness and enjoy the comfort of this fresh collection for many years to come!



CARO (28)
NIKLAS (29)



Caro and Niklas met on a journey. Freshly in love, they are in seventh heaven. The young, happy couple is full of joy and energy.

They recently moved into their first shared apartment. Why have they decided on Floor Dynamic Plus? This laminate enjoys travelling and life just as much as the two of them. Whether tango in high heels or polka in slippers – this floor has swing!




DYNAMIC PLUS

USE CLASS	32 AC 4
BOX	8 panels 2,131 m ²
PALLET	56 boxes 119,320 m ²

* in **DYNAMIC** wrapping



*Time
to
Travel*



D 1407*
Beech Royal
3-Strip | WG



D 2304*
Oak Achat
1-Strip | M0




D 2450*
Cutter Oak
2-Strip | MX



D 2929*
Bourbon Oak
1-Strip | PR



D 2955*
Black and White
2-Strip | WG



D 2957*
Hacienda Oak Beige
1-Strip | PR



D 2986*

Borneo Teak
1-Strip | PR




D 3007*

Stockholm Ash
2-Strip | MX



D 3066*

Cloud Oak
3-Strip | M0




D 3585*

Block Wood
1-Strip | M0




D 3676

Kunstspring Pine
1-Strip | UL



D 3901

Elbe Oak
1-Strip | AF



D 4127*

Nevada Pine
1-Strip | MX



D 4155

Luxury Oak Silver
2-Strip | ER



D 4163*

Bough Pine
1-Strip | MX

DYNAMIC PLUS

8
mm



5G
Vollparquet




USE CLASS 32 | AC 4

PANEL 1380 × 193 x 8 mm | BOX 8 panels | 2,131 m² | PALLET 56 boxes | 119,320 m²

D 4636


Maple

1-Strip | ML



D 4636

Maple



D 4702

Arles Oak
1-Strip | AF



D 4751*

Block Wood Nature
1-Strip | MO



D 4757*

Walnut Palazzo
1-Strip | WG



D 4771

Callisto
1-Strip | AF




D 4773*

Walnut Historia
3-Strip | WG



D 4781

Barrow Oak
1-Strip | AF



D 4953

Plauer Oak
3-Strip | AF



D 4991

Lorine Light
1-Strip | ML

*in **DYNAMIC** wrapping

Fashion is fleeting - style never!

64

D 4178
Monreal Slate



GLAMOUR

MONREAL SLATE

65

A TOUCH OF EXTRAVAGANCE

Exclusivity is easy to install today: whether marble, mosaic or a high-quality natural wood look – when it comes to elegant, exciting and sometimes unusual decors, it has to be GLAMOUR. This collection in particular offers an extraordinary range and a real wow effect. But GLAMOUR is not only beautiful – the floor has to withstand a lot. Thanks to electron beam hardening and multi-layer painting, it is designed for intensive private use with maximum comfort. And last but not least, the variety does not end with the decors: GLAMOUR panels are available with a high gloss effect, extra wide and with V-groove.



ELISABETH (58)
EDITOR



At home in the wide world, fashion editor Elisabeth from Düsseldorf has already seen and experienced a lot. Today, she is giving us an exclusive look into her wardrobe.

We see the high demand on quality and extravagance not only in the exquisite selection of her clothes. The appearance of the floors is also simply glamorous and could easily replace the red carpet.




**"STRESS – I DON'T
KNOW THAT.
I ONLY KNOW STRASS.
I'M IN THE
FASHION
BUSINESS!"**


– Karl Lagerfeld

GLAMOUR STONE

USE CLASS	AC 4
BOX	10 panels 1,996 m ²
PALLET	42 boxes 83,849 m ²



8 mm



8
mm



5G
Superfast
download up to
1 Gbps



V4



D 2909

Botticino Classico Dark
Natural stone format | HG | V4




D 2911

Botticino Classico Light
Natural stone format | HG | V4



D 2921

Carrara Marmor
Natural stone format | HG | V4



D 2935

White
Natural stone format | HG | V4



D 3527

Pindos
Natural stone format | HG | V4



D 3528

Salino
Natural stone format | HG | V4



D 3547

Loft
Natural stone format | HG | V4



D 4178

Monreal Slate
Natural stone format | HG | V4



D 4179

Grizzly Slate
Natural stone format | HG | V4



D 4178

Monreal Slate




D 8434

Piasentina
Natural stone format | HG | V4

GLAMOUR COLOUR

USE CLASS	AC 4
BOX	10 panels 1,996 m ²
PALLET	42 boxes 83,849 m ²




8 mm  



Q 001
Mosaic
Natural stone format | Matt Finish



Q 004
Palazzo
Natural stone format | Matt Finish



Q 010
Emeraude
Natural stone format | Matt Finish

GLAMOUR MAX

USE CLASS

BOX

PALLET


AC 4

4 panels

2,997 m²

30 boxes

89,31 m²



U 190

Black


HG or Matt Finish



D 2935

White

HG or Matt Finish



D 3550


Grey

HG or Matt Finish




GLAMOUR wood

USE CLASS AC 4
BOX 8 panels
1,884 m²
PALLET 36 boxes
67,81 m²



8 mm



8 mm



5G




V4




D 2913
Canyon Andiroba
1-Strip | HG | V4



D 2916
Plateau Merbau
1-Strip | HG | V4



D 2919
Canyon Plum
1-Strip | HG | V4




D 2920
Plateau Maple
1-Strip | HG | V4



D 3685
Old Havana
1-Strip | HG | V4




D 3686
Canyon Oak
1-Strip | HG | V4



THE CLIC-SYSTEM



Installing a new floor is now playfully easy: simply press the panels down with a finger, and they snap audibly into place. Take them out of the box, insert, push down and you're done! The snap-together 'Clic' system is specially engineered to withstand peak loads. Also globally unique is the fact that Kronotex uses an optimised profile for each flooring thickness, which makes an especially big difference with 10 mm and 12 mm laminate. Professional installers and DIY enthusiasts alike greatly appreciate the advantages!



- Much easier to install.
- Up to 50% quicker to install.
- No hammer, tapping block or pulling bar required.
- Safe and stable.
- You can walk on the floor immediately after installation.

PANEL CONSTRUCTION



Kronotex laminates consist of at least four stable layers which ensure the extraordinary durability and unique quality of floors.

A The top surface of the flooring consists of a specially resistant protective overlay film. This is fused with an attractive resinated decorative film into a practically abrasion-proof, hard-wearing surface.

B Extremely dense HDF fiberboard forms the supportive core (HDF, E1).

C On the undersurface of the core a dampnessimpeding stabilisation film ensures and preserves the high structural stability of Kronotex laminates.

INSTALLATION INSTRUCTIONS ON YOUTUBE

73

DIY expert Thomas provides tips and tricks for laying laminate flooring in six easy steps.



Door frame and radiator pipes




Care and repair



Impact and room noise reduction



Transition strips and skirting boards



Step by step instructions for herringbone laying technique



WHAT COUNTS IS THE RIGHT BASE

Once you have decided on a laminate floor, when quality and appearance are a perfect fit, then you need to check the requirements for perfect installation. Very important is a suitable subfloor:

- SWISS KRONO OSB
- old flooring such as wood, firmly-adhering PVC, dry ceramic, linoleum
- cement screed (max. residual moisture: 2.0 CM%)
- anhydrite cement and anhydrite f low cement screed (max. residual moisture: 0.3 CM%)
- magnesia screed (max. residual moisture: 3.0 CM%)

Have a screed specialist in your area give you a residual moisture report!

However, wet rooms, saunas, carpeting and xylolith are not suitable. Damp rooms are only suitable with special laminate designated for this purpose. The subfloor must be dry, level, firmly affixed and clean. Minor unevenness can be compensated with an underlay mat or – if exceeding 3 mm/m – sanded down or levelled with a filler.

CLEANING AND CARE

Kronotex laminate floors are not only hygienic but also very easy to look after.

- Sweep the dry floor with a soft broom or use a vacuum cleaner.
- Marks and dirt can be wiped off with a slightly damp cloth, following the grain of the plank. Special laminate designated for this purpose can also be cleaned with a mop or a household steam cleaner.
- Please use felt pads under furniture and soft rubber castors on chairs.
- Place door mats in special areas (hall, entrance). In industrial buildings, provide footwells.
- Minor damage to the floor can easily be repaired with a repair kit. In case of more serious damage, please consult a specialist.

FLOOR HEATING – NO PROBLEM

Kronotex laminate floors can be readily installed upon underfloor heating, serve well and even help to save on heating costs.

- Be sure to heat mineral underlays before flooring installation to eliminate any excess dampness.
- Have a heating specialist in your area give you a heating report.
- Ensure that during installation, the surface temperature of the floor is at least 15 °C (60 °F).
- For dampness insulation and as a vapour barrier, use a PE film (0.2mm) underlayment. To dampen sound, use PE foam or Kronotex matt underlay.
- At the beginning of each heating period, when you first turn on the underfloor heating, raise the temperature gradually in 5 °C (9 °F) increments per day until you reach the desired temperature. The floor's surface temperature should not exceed 26 °C (80 °F).

75



D 4726

Mountain Oak Brown
MAMMUT PLUS

KRONOTEX ACCESSORIES



SKIRTING BOARD KTEX 1

MDF, for attachment system
19 × 58 × 2400 mm

PACKET 10 pcs

PALLET 56 packets

Available decors: see page 81.



SKIRTING BOARD KTEX 4

MDF, for attachment system
22 × 40 × 2400 mm

PACKET 10 pcs

PALLET 72 packets

Available decors: see page 81.





SKIRTING BOARD KTEX 6

MDF, for attachment system
19 × 80 × 2400 mm

PACKET 10 pcs

PALLET 20 packets

Available decors: see page 81.



SKIRTING BOARD CLIPS

For quick and easy installation of skirting boards.

PACKET 30 pcs



ACCESSORIES FOR SKIRTING BOARD KTEX 1

	PACKET	BOX
1 external corner piece (ECP)	2 pcs	10 packets
2 internal corner piece (ICP)	2 pcs	10 packets
3 end cap (EC)	1 x left, 1 x right	10 packets
4 connector	2 pcs	10 packets
Economy pack	2 ECP, 6 ICP, 2 EC (1 x left, 1 x right)	5 packets

Available in these colours: light brown, dark brown, white, silver and stainless steel look




1



2



3



4

ACCESSORIES FOR SKIRTING BOARD KTEX 4

	PACKET	BOX
1 external corner piece (ECP)	2 pcs	10 packets
2 internal corner piece (ICP)	2 pcs	10 packets
3 end cap (EC)	1 x left, 1 x right	10 packets
4 connector	2 pcs	10 packets
Economy pack	2 ECP, 6 ICP, 2 EC (1 x left, 1 x right)	5 packets

Available in these colours: light brown, dark brown, white, silver and stainless steel look



1



2



3



4

KRONOTEX ACCESSOIRES



SKIRTING BOARD KTEX P

MDF, white, profiled, paintable

18 × 80 × 2400 mm

PACKET 8 pcs

PALLET 35 packets



SKIRTING BOARD KTEX F

MDF, white, chamfered, paintable

18 × 80 × 2400 mm

PACKET 8 pcs

PALLET 35 packets



CORNER PIECE FOR SKIRTING BOARDS KTEX F AND KTEX P

22 × 22 × 82 mm

PACKET 2 pcs

Available in white decor



SKIRTING BOARD AQUA 80

19 × 80 × 2500 mm

PACKET 6 pcs

PALLET 30 packets

SKIRTING BOARD AQUA 60

19 × 60 × 2500 mm

PACKET 8 pcs

PALLET 30 packets



HDF core, white, wrapped with chlorine-free PP/TPE based polyblend with flexible top and bottom soft lips

KRONOTEX INSULATION UNDERLAYS

79

BASIC

Foam-based

25.000 × 1.000 × 2 mm

1 PACK 4 rolls = 100 m²

1 PALLET 40 rolls



BASIC PLUS

Foam-based with flat laminated PE foil

25.000 × 1.000 × 2 mm

1 PACK 4 rolls = 100 m²

1 PALLET 40 rolls



PREMIUM SOUND

PU-based with foil lamination

8.500 × 1.000 × 1,8 mm

1 PACK 1 roll = 8,5 m²

1 PALLET 40 rolls



Meets the minimum requirements for the collections of technical service class 33 and HERRINGBONE.

SUPERIOR SOUND

PU-based with foil lamination

5.500 × 1.000 × 2,8 mm

1 PACK 1 roll = 5,5 m²

1 PALLET 40 rolls



Meets the minimum requirements for the collections of technical service class 33 and HERRINGBONE.

OTHER KRONOTEX SKIRTINGS



Skirting board KTEX 5

MDF

15 x 70 x 2400 mm



Skirting board KTEX 10

MDF

10 x 58 x 2400 mm



Skirting board KTEX 11

MDF, for attachment
system

21 x 70 x 2400 mm



Skirting board KTEX 12

MDF, for attachment
system

15*/19,5** x 50 x 2400 mm



Skirting board KTEX 13

MDF, for attachment
system

16 x 58 x 2600 mm



Skirting board KTEX 14

MDF, for attachment
system

17 x 70 x 2600 mm



Skirting board KTEX 15

MDF

16 x 80 x 2600 mm



Skirting board KTEX 16

MDF

15 x 78 x 2400 mm



Skirting board KTEX 17

MDF

18 x 40 x 2400 mm



Skirting board KTEX 18

MDF, for attachment
system


13,5*/19* x 40 x 2400 mm



Skirting board KTEX 19

MDF, for attachment
system


18 x 90 x 2400 mm



Skirting board KTEX 20

MDF

17 x 17 x 2400 mm



Skirting board KTEX 21

MDF

12 x 12 x 2400 mm



Skirting board KTEX 22

MDF

16 x 16 x 2400 mm



Skirting board KTEX 23

MDF

6 x 25 x 2600 mm



Skirting board KTEX 24

MDF

4 x 25 x 2400 mm

AVAILABLE IN ALL LAMINATE
FLOORING DECORS.

Different quantities available by prior arrangement.

* Covered distance from wall w/o clips

** Covered distance from wall with clips

AVAILABLE DECORS FOR SKIRTING BOARDS

81

DECOR NO.	KTEX 1	KTEX 4
D 1407	•	•
D 2304	•	•
D 2450	•	•
D 2774	•	•
D 2800	•	
D 2804	•	•
D 2805	•	•
D 2869	•	
D 2873	•	•
D 2905	•	•
D 2929	•	•
D 2949	•	•
D 2955	•	•
D 2957	•	•
D 2967	•	
D 2986	•	•
D 2987	•	•
D 2999	•	
D 3004	•	•
D 3007	•	•
D 3044	•	•
D 3066	•	•
D 3070	•	•
D 3073	•	
D 3074	•	
D 3075	•	
D 3076	•	
D 3077	•	
D 3079	•	
D 3081	•	
D 3178	•	
D 3179	•	
D 3180	•	
D 3181	•	
D 3223	•	•
D 3224	•	•
D 3239	•	
D 3241	•	•
D 3242	•	•
D 3516	•	
D 3570	•	•
D 3571	•	
D 3572	•	•
D 3573	•	
D 3585	•	•
D 3590	•	
D 3591	•	
D 3592	•	
D 3597	•	
D 3660	•	•
D 3661	•	•
D 3662	•	•

DECOR NO.	KTEX 1	KTEX 4
D 3663	•	•
D 3664	•	•
D 3665	•	•
D 3668	•	•
D 3669	•	
D 3670	•	
D 3672	•	•
D 3673	•	
D 3676	•	•
D 3678	•	
D 3766	•	
D 3860	•	
D 3861	•	
D 3901	•	
D 4127	•	
D 4152	•	
D 4155	•	•
D 4163	•	•
D 4164	•	•
D 4166	•	•
D 4167	•	
D 4168	•	
D 4169	•	•
D 4170	•	•
D 4171	•	•
D 4609	•	
D 4610	•	
D 4611	•	
D 4612	•	
D 4613	•	
D 4614	•	
D 4636	•	
D 4668	•	
D 4671	•	
D 4672	•	
D 4673	•	
D 4675	•	
D 4676	•	
D 4679	•	
D 4680	•	
D 4681	•	
D 4682	•	
D 4684	•	
D 4685	•	
D 4686	•	
D 4688	•	
D 4689	•	
D 4691	•	
D 4692	•	
D 4694	•	
D 4697	•	
D 4698	•	

DECOR NO.	KTEX 1	KTEX 4
D 4699	•	
D 4702	•	•
D 4708	white is recommended	
D 4710	•	
D 4716	•	
D 4725	•	
D 4726	•	
D 4727	•	
D 4728	•	
D 4731	•	
D 4738	white is recommended	
D 4739	white is recommended	
D 4751	•	•
D 4752	•	
D 4754	•	•
D 4757	•	•
D 4763	•	•
D 4764	•	•
D 4765	•	•
D 4766	•	•
D 4771	•	•
D 4773	•	•
D 4779	•	
D 4781	•	•
D 4782	•	•
D 4783	•	•
D 4784	•	•
D 4785	•	•
D 4786	•	•
D 4787	•	•
D 4791	•	
D 4792	•	
D 4793	•	
D 4794	•	
D 4795	•	
D 4796	•	
D 4797	•	
D 4798	•	
D 4801	•	
D 4805	•	
D 4953	•	•
D 4954	•	
D 4955	•	
D 4956	•	
D 4957	•	
D 4981	•	
D 4982	•	
D 4983	•	
D 4984	•	
D 4985	•	
D 4989	•	
D 4990	•	

DECOR NO.	KTEX 1	KTEX 4
D 4991	•	
D 4997	•	
D 4998	•	
P 1201	AQUA is recommended	
P 1202	AQUA is recommended	
P 1203	AQUA is recommended	
P 1204	AQUA is recommended	
P 1205	AQUA is recommended	
P 1206	AQUA is recommended	
P 1207	AQUA is recommended	
P 1208	AQUA is recommended	
P 1209	AQUA is recommended	
P 1210	AQUA is recommended	
P 1211	AQUA is recommended	
P 1212	AQUA is recommended	

DECOR NO.	KTEX 6
Q 001	black or white is recommended
Q 004	black or white is recommended
Q 010	black or white is recommended
D 2909	•
D 2911	•
D 2913	•
D 2916	•
D 2919	•
D 2920	•
D 2921	•
D 2935	•
D 3527	•
D 3528	•
D 3547	•
D 3550	black or white is recommended
D 3685	•
D 3686	•
D 3688	•
D 4178	•
D 4179	•
D 4181	•
D 4187	•
D 4188	•
D 4189	•
D 8434	•

Skirting board may differ from laminate decor in colour and structure.

ONLINE FLOOR STUDIO

Experience the effect of differing woods, ornamentation, wall and furniture colours in an accurate representation of any room. The online floor studio is the ultimate tool for both end user and sales support.



COLOUR SELECTOR

With one mouse click you can select the appropriate shade and tone from our whole collection.

ADDITIONAL SELECTION CRITERIA

These offer the perfect opportunity to narrow down your search for the perfect laminate. You can select from various qualities, including the type of element, the decoration number or the strength.

SURFACE VIEW

Allows you to view elements from both head-on and in perspective.

NOTES

Gives you the opportunity to get extra information about any of our products simply and conveniently.

THE LINK FUNCTION

With the link function, you can put your ideas before customers, suppliers, users and planners.



Not only do SWISS KRONO TEX floors meet the prescribed norms, they consistently exceed them! This is possible because SWISS KRONO TEX adopts a fully-integrated approach to production (from the tree through to the finished panel), and has numerous control and measuring devices at its disposal. For this reason, Kronotex can offer guarantees which go far and beyond warranties under law. You will be hard pressed to find any other producer who can do likewise.

SWISS KRONO TEX GmbH & Co. KG (in the following: Kronotex) provides buyers in addition to the unencumbered guarantee under law, an additional guarantee covering the abrasion resistance of the floor's surface. It extends from the date of purchase and covers the products as follows:




CONDITIONS OF GUARANTEE

Kronotex laminate panels must be checked before and during installation for any defects. No liability is accepted for laminate flooring installed despite visible defects. Kronotex laminate floors must be installed properly according to the instructions, in a dry room, and in accordance with the respective use class. Abrasion areas on Kronotex laminate floors must be clearly visible and at least 1 cm² in size. And in particular the design layer must be completely abraded. No liability is accepted for abrasion on the edges of the elements or for unusual or improper use, and in particular for damage caused by mechanical stress. Validity of guarantee is dependent on regular cleaning and maintenance of Kronotex floors as described in the care instructions. Claims under guarantee are valid only if submitted within 30 days of ascertaining damage and accompanied by the original receipt from the retailer. In investigating a guarantee claim, Kronotex retains the right to examine the floor in question on site.

OUR GUARANTEE

In cases falling under guarantee, Kronotex will deliver a replacement for the damaged element. If the flooring in question is no longer available, then the buyer can choose a replacement of equal value from the current Kronotex product line. Since an annual 10% depreciation in the value of Kronotex laminates can be assumed, delivery of a compensation product is dependent on payment of the appropriate difference by the buyer. If an equivalent replacement is not available, the buyer can demand financial compensation. In this case Kronotex will reduce the refund amount by 10% for each year of use of the Kronotex laminate flooring. No liability is accepted for financial losses or further damages, especially consequential damages such as those incurred during installation or removal, or transport costs for damaged Kronotex laminate floors.



Art.-Nr.: T00002

Layout: emotions4life

Pictures: Shutterstock, Adobe Stock,
Döring & Waesch, Sterntaucher, Gordon Wells,
Vogelsänger, Kronotex, emotions4life
EN 005-0220-DW-WEI



SWISS KRONO TEX GmbH & Co. KG
Wittstocker Chaussee 1
D-16909 Heiligengrabe / Germany
dehe.sales.floor@swisskrono.com
www.swisskrono.de